

**MODEL NO: CPPRSS** 

**PART NO: 6499630** 

# **CHEMICAL PLUNGER PUMP**

## INTRODUCTION

Thank you for purchasing this CLARKE chemical plunger pump,


Suitable for water, alcohol, petroleum, diesel, paraffin, lubricant, water-based chemicals, acid and alkaline solutions. Before attempting to use this product, please read this manual thoroughly and follow the instructions carefully.

### LIST OF CONTENTS

- 1 x Pump
- 1 x Handle assembly
- 2 x Nuts and Bolts

- 1 x Outlet tube
- 1 x Extension Inlet tube
- 1 x 2 piece telescopic extension with filter

## **ASSEMBLY**




#### FITTING THE PUMP TO A BARREL

- 1. Fit the telescopic extension with filter to the pump.
  - You can fit the extension inlet tube in between if required.
- 2. Adjust the telescopic extension tube to the required length.
  - The bottom of the telescopic extension should be just off of the bottom of the barrel when fitted.
- 3. Screw the pump into the threaded opening of the barrel.

## **USING THE PUMP**

- 1. Place a suitable container under the outlet tube.
- 2. Pump the handle to draw fluid from the barrel.
  - The first time you use the pump, you may need to pump the handle a few times to prime the pump.
  - Each 'pump' of the handle will draw approximately 0.3L of fluid.



## **SPECIFICATIONS**

Container Adaptor Size	2" BSP	
Max Flow	0.3 litres per stroke	
Inlet Tube Length	300 mm	
Inlet Tube Diameter	21.5mm	
Outlet Tube Diameter	16.7mm	
Maximum Drum Size	205 litres	
Min-Max Height (with extension tube fitted)	1130 - 1400 mm	
Dims (W x D x H)	485 x 90 x 1400 mm (fully extended)	
Product Weight	1.2kg	

## **GUARANTEE**

This product is guaranteed against faulty manufacture for a period of 12 months from the date of purchase. Please keep your receipt which will be required as proof of purchase.

This guarantee is invalid if the product is found to have been abused or tampered with in any way, or not used for the purpose for which it was intended.

Faulty goods should be returned to their place of purchase, no product can be returned to us without prior permission.

This guarantee does not effect your statutory rights.

## **CHEMICAL RESISTANCE TABLE**

- Room Temperature
- % Say Mass Concentration

WATER	ACIDS	ALKALI	PETROLEUM BASED	HALOGENS	ALCOHOL	THINNER
	Acetic Acid 20%	Potassium Hydroxide 25%	Silicone Oil	Calcium Chloride 10%	Ethanol 96%	Acetone
	Boric Acid 10%	Sodium Hydroxide solution 50%		Copper Sulphate	Glycerine	
	Citric Acid 10%			Potassium Dichromate 10%	Glycol	
	Formic Acid			Soap Solution	Isopropanol	
	Hydraulic Acid 35%			Sodium Chloride 10%	Methanol	
	Lactic Acid 80%			Sodium Nitrate 10%	Propanol	
	Nitric Acid 30%			Sodium Thiosulphate		
	Oxalic Acid 50%			Zinc Chloride 10%		
	Phosphoric Acid 50%					
	Sulphuric Acid 80%					



PARTS & SERVICE: 0208 988 7400

E-mail: Parts@clarkeinternational.com or Service@clarkeinternational.com

SALES: UK 01992 565333 or Export 00 44 (0)1992 565335

CIAPEC INTERNATIONAL Hemnall Street, Epping, Essex CM16 4LG www.clarkeinternational.com