

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Revision date: 30/4/2020 Version: 2

roduct name : AB500 ALUMINIUM CLEANER (G303) induct code : 3001089 2. Relevant identified uses of the substance or mixture and uses advised against 2.1. Relevant identified uses ain use category : Industrial use 2.2. Uses advised against o additional information available 3. Details of the supplier of the safety data sheet LARKE International Ltd aeland House ermal Street mergency number : 01530 272 822 OFFICE HOURS MONDAY TO THURSDAY 8:30-5:30. FRIDAY : 8:30 - 2:00 PM ECTION 2: Hazards Identification A. Classification of the supplier of the safety data sheet L. Label elemets L. Labe		. Mixture		
roduct code : 3051089 2. Relevant identified uses of the substance or mixture and uses advised against 2.1. Relevant identified uses and in use category : Industrial use 2.2. Uses advised against a additional information available 3. Dotalis of the supplier of the safety data sheet LARKE International Ltd Basin House emma Street pring Essex MIG 41.G 4. Emergency tolephone number emergency number 0. OFFICE HOURS MONDAY TO THURSDAY 8:30-5:30. FRIDAY : 8:30 - 2:00PM ECTION 2: Hazard's identification 1. Classification of the substance or mixture Intersection of the substance or mixture Intersectio				
2. Relevant identified uses of the substance or mixture and uses advised against 2.1, Relevant identified uses ain use category industrial use 2.2, Uses advised against o additional information available 3. Dotalis of the supplier of the safety data sheet ARKE International Ld Baland House amma Street pring Essex Wir 44 (0) 1992 561 562 4. Emergency tolephone number mergency number intersency tolephone number intersency tolephone number for the substance or mixture lassification of the substance or mixture lassification of the substance or mixture lassification according to Regulation (EC) No. 1272/2008 [CLP] cute toxity (oral), Category 4 H302 Kin corresion/Titation, Category 2 H315 erious eye damage/eye irritation, Category 2 H319 uil text of H statements : see section 16 dverse physicochemical, human health and environmental effects amful if swallowed. 2. Label elements abelling according to Regulation (EC) No. 1272/2008 [CLP] cated opticy for Regulation (EC) No. 1272/				
2.1. Relevant identified uses ain use category introduced against 2.2. Uses advised against a datitional information available 3. Dotalis of the supplier of the safety data sheet LARKE International Lud ealand House ermal Street pping Essex Mi 64 LG 4. Enrorgency telephone number ergency number 01530 272 922 OFFICE HOURS MONDAY TO THURSDAY 8:30-5:30. FRIDAY : 8:30 - 2:00PM ECTION 2: Hazards identification 1. Classification of the substance or mixture lassification according to Regulation (EC) No. 1272/2008 [CLP] cute toxicity (oral), Category 4 H302 in corresoin/mixture, Category 2 Label elements abelling according to Regulation (EC) No. 1272/2008 [CLP] cute toxicity (oral), Category 2 Label elements abelling according to Regulation (EC) No. 1272/2008 [CLP] azard pictograms (CLP) if walnowed cutes skin initiation. Category 2 H315 endus eye damage/eye irritation, Category 2 Label elements abelling according to Regulation (EC) No. 1272/2008 [CLP] azard pictograms (CLP) if walnowed cutes skin initiation. Category 5 CH507 if Waning azard statements (CLP) if W302 - Harmful f svallowed. H315 - Causes skin initiation. H319 - Causes skin initation. H319 - Causes skin initiation. H319 - Causes				
ain use category : Industrial use 22. Uses advised against o additional information available 3. Details of the supplier of the safety data sheet LARKE International Ltd ealand House emnal Street pping Essex M16 4LG 44 (0) 1992 565 300 - F +44 (0) 1992 561 562 4. Emergency telephone number mergency number : 01530 272 922 OFFICE HOURS MONDAY TO THURSDAY 8:30-5:30. FRIDAY : 8:30 - 2:00PM ECTION 2: Hazards Identification 1. classification of the substance or mixture lassification according to Regulation (EC) No. 1272/2008 [CLP] cute toxicly (rough). Category 2 H315 erious eye damage/eye initiation, Category 2 H319 uil text of H statements : see section 16 dverse physicochemical, human health and environmental effocts armful if svallowed. 2. Label elements azard pictograms (CLP) :	.2. Relevant identified uses of the subst	ance or mixture and uses advised against		
2. Uses advised against a additional information available 3. Details of the supplier of the safety data sheet LARKE International Ltd ealand House email Street pping Esex Mit 64.G 4. Emergency telephone number ergency number i 01530 272 922 OFFICE HOURS MONDAY TO THURSDAY 8:30-5:30. FRIDAY : 8:30 - 2:00PM ECTION 2: Hazards identification 1. Classification of the substance or mixture lassification of the substance or mixture lassification according to Regulation (EC) No. 1272/2008 [CLP] cute toxicity (oral), Category 4 H 302 kin corosion/irritation, Category 2 H 315 erious eye damage/eye initiation, Category 2 H 319 uil text of H statements : see section 16 dverse physicochemical, human health and environmental effects armful if swallowed. Causes skin irritation. Causes serious eye irritation. 2. Label elements abelling according to Regulation (EC) No. 1272/2008 [CLP] azard pictograms (CLP) i Warning azard statements (CLP) H 302 - Harmful if swallowed. H 315 - Causes serious eye dimitation. H 319 - Causes serious eye irritation. H 319 - Causes serious eye entry irritation. H 320 - H 332 - IF M SK ILW. Wash with peliny of water. P 304-P 323 - IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell. P 304-P 323 - IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell. P 304-P 323 - IF SWALLOWED: Call	2.1. Relevant identified uses			
o additional information available 3. Details of the supplier of the safety data sheet 3. Details of the supplier of the safety data sheet 3. Details of the supplier of the safety data sheet aemail Street pring Essex Wi16 4LG 4. Emergency telephone number C10530 272 922 OFFICE HOURS MONDAY TO THURSDAY 6:30-5:30. FRIDAY : 8:30 - 2:00PM ECTION 2: Hazards identification 1. Classification of the substance or mixture Basification according to Regulation (EC) No. 1272/2008 [CLP] cute toxicity (ora), Category 4 H302 H315 erious eye damage/eye initiation, Category 2 H315 erious eye damage/eye initiation, Category 2 H319 ull text of H statements : see section 16 devese physicochemical, human health and environmental effects armful if swallowed. Causes skin irritation. Causes serious eye irritation. 2. Label elements abelling according to Regulation (EC) No. 1272/2008 [CLP] cut toxicity (ora), Category 2 H315 erious eye damage/eye irritation, Category 2 H315 erious eye damage/eye irritation, Category 2 H319 ull text of H statements : see section 16 devese physicochemical, human health and environmental effects armful if swallowed. Causes skin irritation. Causes serious eye irritation. 2. Label elements abelling according to Regulation (EC) No. 1272/2008 [CLP] cute toxicity (ora), Category 4 H319 CHS07 Equation (CLP) CHS07 Figural word	lain use category	: Industrial use		
3. Details of the supplier of the safety data sheet LARKE International LUd saland House emnal Street pping Essex 44 (0) 1992 265 300 - F +44 (0) 1992 561 562 4. Emergency telephone number mergency number : 01530 272 922 OFFICE HOURS MONDAY TO THURSDAY 8:30-5:30. FRIDAY : 8:30 - 2:00PM ECTION 2: Hazards identification 1. Classification of the substance or mixture lassification according to Regulation (EC) No. 1272/2008 [CLP] cute toxicity (oral), Category 2 H302 kin corresion/initiation, Category 2 H315 erious eye damage/eye irritation, Category 2 H319 uil text of H statements : see section 16 dverse physicochemical, human health and environmental effects armful f swallowed. Causes skin irritation. Causes serious eye irritation. .2. Label elements aboling according to Regulation (EC) No. 1272/2008 [CLP] cGHS07 ignal word (CLP) : C9-11 PARETH-6; 2-butoxyethanol; ethyleneglycol monobutyl ether; butyl cellosolve; methanol azard bioling according to Regulation (EC) No. 1272/2008 [CLP] : azard statements (CLP) : Hamful if swallowed. H315 - Causes skin irritation.	2.2. Uses advised against			
LARKE International Ltd ealand House emnal Street pping Essex M16 4LG 44 (0) 1992 565 300 - F +44 (0) 1992 561 562 4. Emergency telephone number intergency number intersection of the substance or mixture CPFICE HOURS MONDAY TO THURSDAY 8:30-5:30. FRIDAY : 8:30 - 2:00PM ECTION 2: Hazards Identification 4. Classification of the substance or mixture lassification according to Regulation (EC) No. 1272/2008 [CLP] cute toxicity (oral), Category 2 H315 erious eye damage/eye irritation, Category 2 H319 uil text of H statements : see section 16 dverse physicochemical, human health and environmental effects armful if swallowed. Causes skin irritation. Causes serious eye irritation. 2. Label elements abelling according to Regulation (EC) No. 1272/2008 [CLP] cute toxicity (oral), Category 2 H319 uil text of H statements : see section 16 dverse physicochemical, human health and environmental effects armful if swallowed. Causes skin irritation. Causes serious eye irritation. 2. Label elements abelling according to Regulation (EC) No. 1272/2008 [CLP] cute scard pictograms (CLP) ignal word (CLP) azard big ingredients azard varianger ingredients azard statements (CLP) the H302 - Hamful if wallowed. H315 - Causes skin irritation. H319 - Causes serious eye initation. H319 - Causes exerious eye initation. H319 - Causes exerious eye initation	o additional information available			
ealand House emnal Street pping Essex M16 4LG 44 (0) 1992 565 300 - F +44 (0) 1992 561 562 4. Emergency telephone number ergency number C1530 272 922 OFFICE HOURS MONDAY TO THURSDAY 8:30-5:30. FRIDAY : 8:30 - 2:00PM ECTION 2: Hazards identification 1. Classification of the substance or mixture lassification according to Regulation (EC) No. 1272/2008 [CLP] cute toxicity (oral), Category 2 H315 erious eye damage/eye irritation, Category 2 H319 uil text of H statements : see section 16 dverse physicochemical, human health and environmental effects armful if swallowed. Causes skin irritation. Causes serious eye irritation. 2. Label elements abelling according to Regulation (EC) No. 1272/2008 [CLP] azard pictograms (CLP) i Warning azard pictograms (CLP) i Warning azard statements (CLP) i H302 - Hamful if swallowed. H315 - Causes skin irritation. H315 - Causes skin irritation. H315 - Causes skin irritation. H315 - Causes skin irritation. H315 - Causes skin irritation. P301+P312 - IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell. P305+P351+P338 - IF IN EYES: Rise caudiously with water for several minutes. Remo contact lenses, if present and easy to do. Continue rinsing.		lata sheet		
emnal Street pping Essex H18 4LG +44 (0) 1992 565 300 - F +44 (0) 1992 561 562 . 4. Emergency telephone number ergency number i 01530 272 922 OFFICE HOURS MONDAY TO THURSDAY 8:30-5:30. FRIDAY : 8:30 - 2:00PM ECTION 2: Hazards identification . 1. Classification according to Regulation (EC) No. 1272/2008 [CLP] cute toxicity (oral), Category 4 H302 kin corrosion/irritation, Category 2 H315 erious eye damage/eye irritation, Category 2 H319 Ul text of H statements : see section 16 dverse physicochemical, human health and environmental effects armful if swallowed. Causes skin irritation. Causes serious eye irritation2. Label elements abelling according to Regulation (EC) No. 1272/2008 [CLP] azard pictograms (CLP) i Cute toxicity (oral), 2 and				
Wir5 ALG +44 (0) 1992 565 300 - F +44 (0) 1992 561 562 .4. Emergency telephone number mergency number : 01530 272 922 OFFICE HOURS MONDAY TO THURSDAY 8:30-5:30. FRIDAY : 8:30 - 2:00PM ECTION 2: Hazards identification 1. Classification according to Regulation (EC) No. 1272/2008 [CLP] cute toxicity (oral), Category 4 H302 kin corrosion/irritation, Category 2 H315 erious eye damage/eye irritation, Category 2 H316 erious eye damage/eye irritation, Causes serious eye irritation. .2. Label elements abelling according to Regulation (EC) No. 1272/2008 [CLP] cut axard pictograms (CLP) : C9-11 PARETH-6; 2-butoxyethanol; ethyleneglycol monobutyl ether; butyl cellosolve; methanol grand word (CLP) : Warning azard biolograms (CLP) : Warning azard statements (CLP) : C9-11 PARETH-6; 2-butoxyethanol; ethyleneglycol monobutyl ether; butyl cellosolve; methanol H315 - Causes skin irritation. H315 - Causes skin irritation. H316 - Causes skin irritation. H316 - Causes skin wirtation. azard biolograms (CLP) : H302 - Harmful if swallowed. H315 - Causes skin irritation. <t< td=""><td>emnal Street</td><td></td></t<>	emnal Street			
+44 (0) 1992 565 300 - F +44 (0) 1992 561 562 4. Emergency telephone number mergency number : 01530 272 922 OFFICE HOURS MONDAY TO THURSDAY 8:30-5:30. FRIDAY : 8:30 - 2:00PM ECTION 2: Hazards identification 4. Classification of the substance or mixture lassification according to Regulation (EC) No. 1272/2008 [CLP] cute toxicity (oral), Category 4 H302 kin corrosion/initiation, Category 2 H315 erious eye damage/eye irritation, Category 2 H319 ull text of H statements : see section 16 dverse physicochemical, human health and environmental effects armful if swallowed. Causes skin irritation. Causes serious eye irritation. 2. Label elements abelling according to Regulation (EC) No. 1272/2008 [CLP] is warning is C9-11 PARETH-6; 2-butoxyethanol; ethyleneglycol monobutyl ether; butyl cellosolve; methanol azard bictograms (CLP) is Warning is C9-11 PARETH-6; 2-butoxyethanol; ethyleneglycol monobutyl ether; butyl cellosolve; methanol azard statements (CLP) is Warning is C9-11 PARETH-6; 2-butoxyethanol; ethyleneglycol monobutyl ether; butyl cellosolve; methanol azard statements (CLP) is Warning is C9-11 PARETH-6; 2-butoxyethanol; ethyleneglycol monobutyl ether; butyl cellosolve; methanol is C92 - Harmful if swallowed. H319 - Causes skin irritation. H319 - Causes skin with pleny of water. P30:P47352 FO NSKIN; Wash with pleny of water. P30:P47353 - IF NN EYES: Rinse cautously with water for several minutes. Remo contact lenses, if present and easy to do. Continue rinsing.	pping Essex			
4. Emergency telephone number : 01530 272 922 OFFICE HOURS MONDAY TO THURSDAY 8:30-5:30. FRIDAY : 8:30 - 2:00PM ECTION 2: Hazards identification 4. Classification of the substance or mixture lassification according to Regulation (EC) No. 1272/2008 [CLP] cule toxicity (oral), Category 4 kin corrosion/irritation, Category 2 H315 erious eye damage/eye irritation, Category 2 uil text of H statements : see section 16 dverse physicochemical, human health and environmental effects armful if swallowed. Causes skin irritation. Causes serious eye irritation. .2. Label elements abelling according to Regulation (EC) No. 1272/2008 [CLP] ignal word (CLP) : Warning azard pictograms (CLP) : Warning ignal word (CLP) : C9-11 PARETH-6; 2-butoxyethanol; ethyleneglycol monobutyl ether; butyl cellosolve; methanol azard statements (CLP) : H302 - Harmful if swallowed. H315 - Causes serious eye irritation. H315 - Causes serious eye irritation. recautionary statements (CLP) : P300 - Wear protective glowes/protective clohing/eye protection/face protection. H315 - Causes serious eye irritation. : P280 - Wear protective glowes/protective clohing/eye protection. H315 - Causes serious eye irri	M16 4LG			
mergency number : 01530 272 922 OFFICE HOURS MONDAY TO THURSDAY 8:30-5:30. FRIDAY : 8:30 - 2:00PM ECTION 2: Hazards identification .1. Classification according to Regulation (EC) No. 1272/2008 [CLP] cute toxicity (oral), Category 4 H302 kin corrosion/irritation, Category 2 H315 erious eye damage/eye irritation, Category 2 H319 ull text of H statements : see section 16 dverse physicochemical, human health and environmental effects armful if swallowed. Causes skin irritation. Causes serious eye irritation. 2. Label elements abelling according to Regulation (EC) No. 1272/2008 [CLP] azard pictograms (CLP) i Warning : C9-11 PARETH-6; 2-butoxyethanol; ethyleneglycol monobutyl ether; butyl cellosolve; methanol azardous ingredients i C9-11 PARETH-6; 2-butoxyethanol; ethyleneglycol monobutyl ether; butyl cellosolve; methanol azard statements (CLP) i H302 - Harmful if swallowed. H315 - Causes stein irritation. H319 - Causes stein ir				
OFFICE HOURS MONDAY TO THURSDAY 8:30-5:30. FRIDAY : 8:30 - 2:00PM ECTION 2: Hazards identification 1. Classification of the substance or mixture lassification according to Regulation (EC) No. 1272/2008 [CLP] cute toxicity (oral), Category 4 H302 kin corrosion/irritation, Category 2 H315 erious eye damage/eye irritation, Category 2 H319 uil text of H statements : see section 16 dverse physicochemical, human health and environmental effects armful if swallowed. Causes skin irritation. Causes serious eye irritation. 2. Label elements ababiling according to Regulation (EC) No. 1272/2008 [CLP] azard pictograms (CLP) Warning colspan="2">CS+11 PARETH-6; 2-butoxyethanol; ethyleneglycol monobutyl ether; butyl cellosolve; methanol azardous ingredients azard statements (CLP) P300 - Harmful if swallowed. H302 - Harmful if swallowed. H319 - Causes serious eye irritation. H302 - Harmful if swallowed. <td <="" colspan="2" td=""><td></td><td>• 01530 272 022</td></td>	<td></td> <td>• 01530 272 022</td>			• 01530 272 022
1. Classification of the substance or mixture lassification according to Regulation (EC) No. 1272/2008 [CLP] cute toxicity (oral), Category 4 H302 kin corrosion/irritation, Category 2 H315 erious eye damage/eye irritation, Category 2 H319 ull text of H statements : see section 16 H319 dverse physicochemical, human health and environmental effects armful if swallowed. Causes skin irritation. Causes serious eye irritation. .2. Label elements abelling according to Regulation (EC) No. 1272/2008 [CLP] azard pictograms (CLP) : ignal word (CLP) : azard statements (CLP) : ecautionary statements (CLP) : H302 - Harmful if swallowed. H315 - Causes skni irritation. H319 - Causes skni irri				
1. Classification of the substance or mixture lassification according to Regulation (EC) No. 1272/2008 [CLP] cute toxicity (oral), Category 4 H302 kin corrosion/irritation, Category 2 H315 erious eye damage/eye irritation, Category 2 H319 ull text of H statements : see section 16 H319 dverse physicochemical, human health and environmental effects armful if swallowed. Causes skin irritation. Causes serious eye irritation. .2. Label elements abelling according to Regulation (EC) No. 1272/2008 [CLP] azard pictograms (CLP) : ignal word (CLP) : azard statements (CLP) : ecautionary statements (CLP) : H302 - Harmful if swallowed. H315 - Causes skni irritation. H319 - Causes skni irri				
assification according to Regulation (EC) No. 1272/2008 [CLP] cute toxicity (oral), Category 4 H302 kin corrosion/irritation, Category 2 H315 prious eye damage/eye irritation, Category 2 H319 ull text of H statements : see section 16 H319 dverse physicochemical, human health and environmental effects armful if swallowed. Causes skin irritation. Causes serious eye irritation. 2. Label elements abelling according to Regulation (EC) No. 1272/2008 [CLP] azard pictograms (CLP) : GHS07 gnal word (CLP) : azard statements (CLP) : H319 - Causes serious eye irritation. H319				
cute toxicity (oral), Category 4 H302 sin corrosion/irritation, Category 2 H315 prious eye damage/eye irritation, Category 2 H319 all text of H statements : see section 16 deverse physicochemical, human health and environmental effects armful if swallowed. Causes skin irritation. Causes serious eye irritation. 2. 2. Label elements abelling according to Regulation (EC) No. 1272/2008 [CLP] . azard pictograms (CLP) : gnal word (CLP) : azard statements (CLP) : Warning azard statements (CLP) : H302 - Harmful if swallowed. azard statements (CLP) : H302 - Harmful if swallowed. ecautionary statements (CLP) : P280 - Wear protective gloves/protective clothing/eye protection/face protection. ecautionary statements (CLP) : P280 - Wear protective gloves/protective clothing/eye protection/face protection. ecautionary statements (CLP) : P280 - Wear protective gloves/protective clothing/eye protection/face protection. ecautionary statements (CLP) : P280 - Wear protective gloves/protective clothing/eye protection/face protection. ecautionary statements (CLP) : P301+P312 - IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell. P301+P312 - IF SWALLOWED: Call a POISON CENTE	1. Classification of the substance or m	ixture		
kin corrosion/irritation, Category 2 H315 erious eye damage/eye irritation, Category 2 H319 ull text of H statements : see section 16 dverse physicochemical, human health and environmental effects armful if swallowed. Causes skin irritation. Causes serious eye irritation. 2. Label elements abelling according to Regulation (EC) No. 1272/2008 [CLP] azard pictograms (CLP) : GHS07 gnal word (CLP) : azard pictograms (CLP) : GHS07 gnal word (CLP) : C9-11 PARETH-6; 2-butoxyethanol; ethyleneglycol monobutyl ether; butyl cellosolve; methanol azard statements (CLP) : H319 - Causes skin irritation. H319 - Causes skin irritation. H319 - Causes skin irritation. H319 - Causes skin irritation. H319 - Causes serious eye irritation. H310 - Causes serious eye i	lassification according to Regulation (EC) N	o. 1272/2008 [CLP]		
erious eye damage/eye irritation, Category 2 III text of H statements : see section 16 dverse physicochemical, human health and environmental effects armful if swallowed. Causes skin irritation. Causes serious eye irritation. 2. Label elements abelling according to Regulation (EC) No. 1272/2008 [CLP] azard pictograms (CLP) ignal word (CLP) azard out of CLP) azard statements (CLP) i Warning azard statements (CLP) i H302 - Harmful if swallowed. H315 - Causes skin irritation. H319 - Causes serious eye irritation. H310 - Causes serious eye irritat	cute toxicity (oral), Category 4	H302		
erious eye damage/eye irritation, Category 2 III text of H statements : see section 16 dverse physicochemical, human health and environmental effects armful if swallowed. Causes skin irritation. Causes serious eye irritation. 2. Label elements abelling according to Regulation (EC) No. 1272/2008 [CLP] azard pictograms (CLP) ignal word (CLP) azard out of CLP) azard statements (CLP) i Warning azard statements (CLP) i H302 - Harmful if swallowed. H315 - Causes skin irritation. H319 - Causes serious eye irritation. H310 - Causes serious eye irritat	kin corrosion/irritation, Category 2	H315		
ull text of H statements : see section 16 dverse physicochemical, human health and environmental effects armful if swallowed. Causes skin irritation. Causes serious eye irritation. .2. Label elements abelling according to Regulation (EC) No. 1272/2008 [CLP] azard pictograms (CLP) ignal word (CLP) azardous ingredients c O+11 PARETH-6; 2-butoxyethanol; ethyleneglycol monobutyl ether; butyl cellosolve; methanol azard statements (CLP) ignal word (CLP)		H319		
dverse physicochemical, human health and environmental effects armful if swallowed. Causes skin irritation. Causes serious eye irritation. 2. Label elements abelling according to Regulation (EC) No. 1272/2008 [CLP] azard pictograms (CLP) ignal word (CLP) azardous ingredients azard statements (CLP) : : :				
armful if swallowed. Causes skin irritation. Causes serious eye irritation. .2. Label elements abelling according to Regulation (EC) No. 1272/2008 [CLP] azard pictograms (CLP) ignal word (CLP) azardous ingredients azardous ingredients azard statements (CLP) i H302 - Harmful if swallowed. H315 - Causes scious eye irritation. H319 - Causes serious eye irritation. H319 - Causes for eye irritation. H319 -				
2. Label elements abelling according to Regulation (EC) No. 1272/2008 [CLP] azard pictograms (CLP) ignal word (CLP) azardous ingredients azard statements (CLP) ignal word word	dvorce physicschemical, human health and	anvironmental offecto		
abelling according to Regulation (EC) No. 1272/2008 [CLP] azard pictograms (CLP) ignal word (CLP) azardous ingredients azard statements (CLP) ignal word statements (CLP) </td <td></td> <td></td>				
azard pictograms (CLP) : ignal word (CLP) : Warning azardous ingredients : C9-11 PARETH-6; 2-butoxyethanol; ethyleneglycol monobutyl ether; butyl cellosolve; methanol azard statements (CLP) : H302 - Harmful if swallowed. H315 - Causes skin irritation. H319 - Causes serious eye irritation. H319 - Causes serious eye irritation. H319 - Causes serious eye irritation. H319 - Causes serious eye irritation. P301+P312 - IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell. P302+P352 - IF ON SKIN: Wash with plenty of water. P302+P352 - IF ON SKIN: Wash with plenty of water. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remo contact lenses, if present and easy to do. Continue rinsing.	armful if swallowed. Causes skin irritation. Caus			
ignal word (CLP) : Warning azardous ingredients : C9-11 PARETH-6; 2-butoxyethanol; ethyleneglycol monobutyl ether; butyl cellosolve; methanol azard statements (CLP) : H302 - Harmful if swallowed. H315 - Causes skin irritation. H319 - Causes serious eye irritation. recautionary statements (CLP) : P280 - Wear protective gloves/protective clothing/eye protection/face protection. P301+P312 - IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell. P302+P352 - IF ON SKIN: Wash with plenty of water. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remo contact lenses, if present and easy to do. Continue rinsing.	armful if swallowed. Causes skin irritation. Caus 2. Label elements	ses serious eye irritation.		
ignal word (CLP) : Warning azardous ingredients : C9-11 PARETH-6; 2-butoxyethanol; ethyleneglycol monobutyl ether; butyl cellosolve; methanol azard statements (CLP) : H302 - Harmful if swallowed. H315 - Causes skin irritation. H319 - Causes serious eye irritation. recautionary statements (CLP) : P280 - Wear protective gloves/protective clothing/eye protection/face protection. P301+P312 - IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell. P302+P352 - IF ON SKIN: Wash with plenty of water. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remo contact lenses, if present and easy to do. Continue rinsing.	armful if swallowed. Causes skin irritation. Caus .2. Label elements abelling according to Regulation (EC) No. 12	ses serious eye irritation.		
ignal word (CLP) : Warning azardous ingredients : C9-11 PARETH-6; 2-butoxyethanol; ethyleneglycol monobutyl ether; butyl cellosolve; methanol azard statements (CLP) : H302 - Harmful if swallowed. H315 - Causes skin irritation. H319 - Causes serious eye irritation. recautionary statements (CLP) : P280 - Wear protective gloves/protective clothing/eye protection/face protection. P301+P312 - IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell. P302+P352 - IF ON SKIN: Wash with plenty of water. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remo contact lenses, if present and easy to do. Continue rinsing.	armful if swallowed. Causes skin irritation. Caus 2. Label elements	ses serious eye irritation.		
ignal word (CLP) : Warning azardous ingredients : C9-11 PARETH-6; 2-butoxyethanol; ethyleneglycol monobutyl ether; butyl cellosolve; methanol azard statements (CLP) : H302 - Harmful if swallowed. H315 - Causes skin irritation. H319 - Causes serious eye irritation. recautionary statements (CLP) : P280 - Wear protective gloves/protective clothing/eye protection/face protection. P301+P312 - IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell. P302+P352 - IF ON SKIN: Wash with plenty of water. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remo contact lenses, if present and easy to do. Continue rinsing.	armful if swallowed. Causes skin irritation. Caus .2. Label elements abelling according to Regulation (EC) No. 12	ses serious eye irritation.		
ignal word (CLP) : Warning azardous ingredients : C9-11 PARETH-6; 2-butoxyethanol; ethyleneglycol monobutyl ether; butyl cellosolve; methanol azard statements (CLP) : H302 - Harmful if swallowed. H315 - Causes skin irritation. H319 - Causes serious eye irritation. recautionary statements (CLP) : P280 - Wear protective gloves/protective clothing/eye protection/face protection. P301+P312 - IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell. P302+P352 - IF ON SKIN: Wash with plenty of water. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remo contact lenses, if present and easy to do. Continue rinsing.	armful if swallowed. Causes skin irritation. Caus .2. Label elements abelling according to Regulation (EC) No. 12	ses serious eye irritation.		
ignal word (CLP) : Warning azardous ingredients : C9-11 PARETH-6; 2-butoxyethanol; ethyleneglycol monobutyl ether; butyl cellosolve; methanol azard statements (CLP) : H302 - Harmful if swallowed. H315 - Causes skin irritation. H319 - Causes serious eye irritation. recautionary statements (CLP) : P280 - Wear protective gloves/protective clothing/eye protection/face protection. P301+P312 - IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell. P302+P352 - IF ON SKIN: Wash with plenty of water. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remo contact lenses, if present and easy to do. Continue rinsing.	armful if swallowed. Causes skin irritation. Caus .2. Label elements abelling according to Regulation (EC) No. 12	ses serious eye irritation.		
azardous ingredients : C9-11 PARETH-6; 2-butoxyethanol; ethyleneglycol monobutyl ether; butyl cellosolve; methanol azard statements (CLP) : H302 - Harmful if swallowed. H315 - Causes skin irritation. H319 - Causes serious eye irritation. recautionary statements (CLP) : P280 - Wear protective gloves/protective clothing/eye protection/face protection. P301+P312 - IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell. P302+P352 - IF ON SKIN: Wash with plenty of water. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remo contact lenses, if present and easy to do. Continue rinsing.	armful if swallowed. Causes skin irritation. Caus .2. Label elements abelling according to Regulation (EC) No. 12	72/2008 [CLP]		
methanol azard statements (CLP) : H302 - Harmful if swallowed. H315 - Causes skin irritation. H319 - Causes serious eye irritation. recautionary statements (CLP) : P280 - Wear protective gloves/protective clothing/eye protection/face protection. P301+P312 - IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell. P302+P352 - IF ON SKIN: Wash with plenty of water. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remo contact lenses, if present and easy to do. Continue rinsing.	armful if swallowed. Causes skin irritation. Caus .2. Label elements abelling according to Regulation (EC) No. 12 azard pictograms (CLP)	72/2008 [CLP] GHS07		
azard statements (CLP) : H302 - Harmful if swallowed. H315 - Causes skin irritation. H319 - Causes serious eye irritation. : P280 - Wear protective gloves/protective clothing/eye protection/face protection. P301+P312 - IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell. P302+P352 - IF ON SKIN: Wash with plenty of water. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remo contact lenses, if present and easy to do. Continue rinsing.	armful if swallowed. Causes skin irritation. Caus .2. Label elements abelling according to Regulation (EC) No. 12 azard pictograms (CLP) ignal word (CLP)	ses serious eye irritation. 72/2008 [CLP] GHS07 : Warning		
H315 - Causes skin irritation. H319 - Causes serious eye irritation. : P280 - Wear protective gloves/protective clothing/eye protection/face protection. P301+P312 - IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell. P302+P352 - IF ON SKIN: Wash with plenty of water. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remo contact lenses, if present and easy to do. Continue rinsing.	armful if swallowed. Causes skin irritation. Caus .2. Label elements abelling according to Regulation (EC) No. 12 azard pictograms (CLP)	ses serious eye irritation. 72/2008 [CLP] : GHS07 : Warning : C9-11 PARETH-6; 2-butoxyethanol; ethyleneglycol monobutyl ether; butyl cellosolve;		
recautionary statements (CLP) : P280 - Wear protective cloves/protective clothing/eye protection/face protection. P301+P312 - IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell. P302+P352 - IF ON SKIN: Wash with plenty of water. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remo contact lenses, if present and easy to do. Continue rinsing.	armful if swallowed. Causes skin irritation. Caus .2. Label elements abelling according to Regulation (EC) No. 12 azard pictograms (CLP) ignal word (CLP) azardous ingredients	ses serious eye irritation. 72/2008 [CLP] GHS07 : Warning : C9-11 PARETH-6; 2-butoxyethanol; ethyleneglycol monobutyl ether; butyl cellosolve; methanol		
P301+P312 - IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell. P302+P352 - IF ON SKIN: Wash with plenty of water. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remo contact lenses, if present and easy to do. Continue rinsing.	armful if swallowed. Causes skin irritation. Caus .2. Label elements abelling according to Regulation (EC) No. 12 azard pictograms (CLP) ignal word (CLP)	ses serious eye irritation. 72/2008 [CLP] GHS07 : Warning : C9-11 PARETH-6; 2-butoxyethanol; ethyleneglycol monobutyl ether; butyl cellosolve; methanol : H302 - Harmful if swallowed.		
P302+P352 - IF ON SKIN: Wash with plenty of water. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remo contact lenses, if present and easy to do. Continue rinsing.	armful if swallowed. Causes skin irritation. Caus .2. Label elements abelling according to Regulation (EC) No. 12 azard pictograms (CLP) ignal word (CLP) azardous ingredients	ses serious eye irritation. 72/2008 [CLP] GHS07 : Warning : C9-11 PARETH-6; 2-butoxyethanol; ethyleneglycol monobutyl ether; butyl cellosolve; methanol : H302 - Harmful if swallowed. H315 - Causes skin irritation.		
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remo contact lenses, if present and easy to do. Continue rinsing.	armful if swallowed. Causes skin irritation. Caus .2. Label elements abelling according to Regulation (EC) No. 12 azard pictograms (CLP) ignal word (CLP) azardous ingredients	 ses serious eye irritation. 72/2008 [CLP] GHS07 Warning C9-11 PARETH-6; 2-butoxyethanol; ethyleneglycol monobutyl ether; butyl cellosolve; methanol H302 - Harmful if swallowed. H315 - Causes skin irritation. H319 - Causes serious eye irritation. P280 - Wear protective gloves/protective clothing/eye protection/face protection. 		
contact lenses, if present and easy to do. Continue rinsing.	armful if swallowed. Causes skin irritation. Caus .2. Label elements abelling according to Regulation (EC) No. 12 azard pictograms (CLP) ignal word (CLP) azardous ingredients azard statements (CLP)	 ses serious eye irritation. 72/2008 [CLP] GHS07 Warning C9-11 PARETH-6; 2-butoxyethanol; ethyleneglycol monobutyl ether; butyl cellosolve; methanol H302 - Harmful if swallowed. H315 - Causes skin irritation. H319 - Causes serious eye irritation. P280 - Wear protective gloves/protective clothing/eye protection/face protection. P301+P312 - IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell. 		
	armful if swallowed. Causes skin irritation. Caus .2. Label elements abelling according to Regulation (EC) No. 12 azard pictograms (CLP) ignal word (CLP) azardous ingredients azard statements (CLP)	 ses serious eye irritation. 72/2008 [CLP] GHS07 Warning C9-11 PARETH-6; 2-butoxyethanol; ethyleneglycol monobutyl ether; butyl cellosolve; methanol H302 - Harmful if swallowed. H315 - Causes skin irritation. H319 - Causes serious eye irritation. F280 - Wear protective gloves/protective clothing/eye protection/face protection. P301+P312 - IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell. P302+P352 - IF ON SKIN: Wash with plenty of water. 		
	armful if swallowed. Causes skin irritation. Caus .2. Label elements abelling according to Regulation (EC) No. 12 azard pictograms (CLP) ignal word (CLP) azardous ingredients azard statements (CLP)	 ses serious eye irritation. 72/2008 [CLP] GHS07 Warning C9-11 PARETH-6; 2-butoxyethanol; ethyleneglycol monobutyl ether; butyl cellosolve; methanol H302 - Harmful if swallowed. H315 - Causes skin irritation. H319 - Causes serious eye irritation. P280 - Wear protective gloves/protective clothing/eye protection/face protection. P301+P312 - IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell. P302+P352 - IF ON SKIN: Wash with plenty of water. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove 		
P337+P313 - If eye irritation persists: Get medical advice/attention.	armful if swallowed. Causes skin irritation. Caus .2. Label elements abelling according to Regulation (EC) No. 12 azard pictograms (CLP) ignal word (CLP) azardous ingredients azard statements (CLP)	 ses serious eye irritation. 72/2008 [CLP] GHS07 Warning C9-11 PARETH-6; 2-butoxyethanol; ethyleneglycol monobutyl ether; butyl cellosolve; methanol H302 - Harmful if swallowed. H315 - Causes skin irritation. H319 - Causes serious eye irritation. P280 - Wear protective gloves/protective clothing/eye protection/face protection. P301+P312 - IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell. P302+P352 - IF ON SKIN: Wash with plenty of water. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. 		

SECTION 3: Composition/information on ingredients 3.1. Substances

Not applicable

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
phosphoric acid %, orthophosphoric acid %	(CAS-No.) 7664-38-2 (EC-No.) 231-633-2 (EC Index-No.) 015-011-00-6	>=10 - <30	Skin Corr. 1B, H314
2-butoxyethanol; ethyleneglycol monobutyl ether; butyl cellosolve	(CAS-No.) 111-76-2 (EC-No.) 203-905-0 (EC Index-No.) 603-014-00-0 (REACH-no) 01-2119475108-36	>=5 - <10	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Acute Tox. 4 (Inhalation:dust,mist), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319
methanol	(CAS-No.) 67-56-1 (EC-No.) 200-659-6 (EC Index-No.) 603-001-00-X	>=5 - <10	Flam. Liq. 2, H225 Acute Tox. 3 (Inhalation), H331 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Oral), H301 STOT SE 1, H370
C9-11 PARETH-6	(CAS-No.) 68439-46-3 (EC-No.) 614-482-0	>=0.5 - <5	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318
Specific concentration limits:			
Name	Product identifier	Specific concentration limits	
phosphoric acid %, orthophosphoric acid %	(CAS-No.) 7664-38-2 (EC-No.) 231-633-2 (EC Index-No.) 015-011-00-6	(10 = <c 2,="" 25)="" <="" h315<br="" irrit.="" skin="">(10 =<c 2,="" 25)="" <="" eye="" h319<br="" irrit.="">(25 =<c 1b,="" <="100)" corr.="" h314<="" skin="" td=""></c></c></c>	
methanol	(CAS-No.) 67-56-1 (EC-No.) 200-659-6 (EC Index-No.) 603-001-00-X		STOT SE 2, H371 00) STOT SE 1, H370

Full text of H-statements: see section 16

SECTION 4: First aid measures 4.1. Description of first aid measures			
First-aid measures general	: Call a poison center or a doctor if you feel unwell.		
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.		
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention.		
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.		
First-aid measures after ingestion	: Rinse mouth. Call a poison center or a doctor if you feel unwell.		
4.2. Most important symptoms and effects, both acute and delayed			
Symptoms/effects after skin contact	: Irritation.		
Symptoms/effects after eye contact	: Eye irritation.		
4.3. Indication of any immediate medical attention and special treatment needed			
Treat symptomatically.			

SECTION 5: Firefighting measures		
5.1. Extinguishing media		
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.	
5.2. Special hazards arising from the substance or mixture Hazardous decomposition products in case of fire : Toxic fumes may be released.		
5.3. Advice for firefighters		
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.	

SECTION 6: Accidental release measures 6.1. Personal precautions, protective equipment and emergency procedures 6.1.1. For non-emergency personnel : Ventilate spillage area. Avoid contact with skin and eyes. Emergency procedures

3051089 AB500 ALUMINIUM CLEANER (C303) Safety Data Sheet

6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
6.2. Environmental precautions	
Avoid release to the environment.	
6.3. Methods and material for containm	ent and cleaning up
Methods for cleaning up	: Take up liquid spill into absorbent material.
Other information	: Dispose of materials or solid residues at an authorized site.
6.4. Reference to other sections	
For further information refer to section 13.	

7.1. Precautions for safe handling	
Precautions for safe handling	: Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal protective equipment.
Hygiene measures	: Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, including an	y incompatibilities
Storage conditions	: Store in a well-ventilated place. Keep cool.
7.2. Openifie and upp(a)	

7.3. Specific end use(s) No additional information available

SECTION 8: Exposure controls/personal protection 8.1. Control parameters		
phosphoric acid … %, orthophosphoric acid … % (7664-38-2)		
United Kingdom - Occupational Exposure Limits		
Local name	I name Orthophosphoric acid	
WEL TWA (mg/m³)	1 mg/m³	
WEL STEL (mg/m ³) 2 mg/m ³		
Regulatory reference EH40/2005 (Third edition, 2018). HSE		
8.2. Exposure controls		

Appropriate engineering controls:

Ensure good ventilation of the work station.

Hand protection:	
Protective gloves	
Eye protection:	
Safety glasses	
Skin and body protection:	
Wear suitable protective clothing	
Respiratory protection:	
In case of insufficient ventilation, wear suitable respiratory equipment	

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical 	properties	
9.1. Information on basic physical and c	hemical properties	
Physical state	: Liquid	
Colour	: No data available	
Odour	: No data available	
Odour threshold	: No data available	
PH	: 1	
Relative evaporation rate (butylacetate=1)	: No data available	
Melting point	: Not applicable	
Freezing point	: No data available	

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 1.09 - 1.13
Solubility	: No data available
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available
9.2 Other information	

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity
10.1. Reactivity
The product is non-reactive under normal conditions of use, storage and transport.
10.2. Chemical stability
Stable under normal conditions.
10.3. Possibility of hazardous reactions
No dangerous reactions known under normal conditions of use.
10.4. Conditions to avoid
None under recommended storage and handling conditions (see section 7).
10.5. Incompatible materials
No additional information available
10.6. Hazardous decomposition products
Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological inform	ation	
11.1. Information on toxicological effe	ects	
Acute toxicity (oral)	: Harmful if swallowed.	
Acute toxicity (dermal)	: Not classified	
Acute toxicity (inhalation)	: Not classified	
3051089AB500 ALUMINIUM CLEANER (C303)		

ATE CLP (oral)

1533.742 mg/kg bodyweight

phosphoric acid … %, orthophosphoric acid … % (7664-38-2)		
LD50 oral rat	2600 mg/kg	
LD50 dermal rabbit	2740 mg/kg	
Skin corrosion/irritation	: Causes skin irritation.	
	рН: 1	
Serious eye damage/irritation	: Causes serious eye irritation.	
	рН: 1	
Respiratory or skin sensitisation	: Not classified	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
Reproductive toxicity	: Not classified	
STOT-single exposure	: Not classified.	
STOT-repeated exposure	: Not classified	
Aspiration hazard	: Not classified	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 12: Ecological information	
12.1. Toxicity	
Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Not classified
12.2. Persistence and degradability	
No additional information available	
12.3. Bioaccumulative potential	
No additional information available	
12.4. Mobility in soil	
No additional information available	
12.5. Results of PBT and vPvB assessment	
No additional information available	
12.6. Other adverse effects	
No additional information available	

SECTION 13: Disposal considerations

13.1. Waste treatment methods Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

n accordance with ADR / RID / IMDG / IATA / ADN					
ADR	IMDG	ΙΑΤΑ	ADN	RID	
14.1. UN number					
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
14.2. UN proper shippin	g name				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
14.3. Transport hazard class(es)					
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
14.4. Packing group					
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
14.5. Environmental hazards					
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
No supplementary information	on available	· · · · · · · · · · · · · · · · · · ·			

14.6. Special precautions for user

Overland transport

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

Inland waterway transport

Not applicable

Rail transport

Not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Full text of H- and EUH-statements:			
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3		
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3		
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3		
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4		
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4		
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4		
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4		
Eye Dam. 1	Serious eye damage/eye irritation, Category 1		
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2		
Flam. Liq. 2	Flammable liquids, Category 2		
Skin Corr. 1B	Skin corrosion/irritation, Category 1B		
Skin Irrit. 2	Skin corrosion/irritation, Category 2		
STOT SE 1	Specific target organ toxicity — Single exposure, Category 1		
STOT SE 2	Specific target organ toxicity — Single exposure, Category 2		
H225	Highly flammable liquid and vapour.		
H301	Toxic if swallowed.		
H302	Harmful if swallowed.		
H311	Toxic in contact with skin.		
H312	Harmful in contact with skin.		
H314	Causes severe skin burns and eye damage.		
H315	Causes skin irritation.		
H318	Causes serious eye damage.		
H319	Causes serious eye irritation.		
H331	Toxic if inhaled.		
H332	Harmful if inhaled.		
H370	Causes damage to organs.		
H371	May cause damage to organs.		

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.