

SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 2015/830)

SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name : BAGUETTES D'ALUMINIUM - BASSE TEMPERATURE

1.2. Relevant identified uses of the substance or mixture and uses advised against

Rods used for welding. **1.3. Details of the supplier of the safety data sheet**

Registered company name : YMAX Products.

Address : Rue des Capucins, 12.7000.Mons.Belgique.

Telephone : + 32 65 565779. Fax : +32 65 565780.

Email : Info@ymax.be

http://www.ymax.be

1.4. Emergency telephone number : +33 (0)1 45 42 59 59.

Association/Organisation : INRS / ORFILA http://www.centres-antipoison.net.

SECTION 2 : HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

In compliance with EC regulation No. 1272/2008 and its amendments.

Hazardous to the aquatic environment - Acute hazard, Category 1 (Aquatic Acute 1, H400).

Hazardous to the aquatic environment - Chronic hazard, Category 1 (Aquatic Chronic 1, H410).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

2.2. Label elements

In compliance with EC regulation No. 1272/2008 and its amendments.

Hazard pictograms :



GHS09	
Signal Word :	
WARNING	
Hazard statements :	
H410	Very toxic to aquatic life with long lasting effects.
Precautionary statements - Prevention	:
P273	Avoid release to the environment.
Precautionary statements - Response :	
P391	Collect spillage.
Precautionary statements - Disposal :	
P501	Dispose of contents/container at a disposal facility in accordance with local regulations.

2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Composition	
Composition	٠

Identification	(EC) 1272/2008	Note	%
INDEX: 030-001-01-9	GHS09		$50 \le x \% < 90.8$
CAS: 7440-66-6	Wng		
EC: 231-175-3	Aquatic Acute 1, H400		
	M Acute $= 1$		
ZINC POWDER - ZINC DUST (STABILISED)	Aquatic Chronic 1, H410		
	M Chronic $= 1$		
INDEX: 013-002-00-1	GHS02	Т	$2.5 \le x \% \le 5.1$
CAS: 7429-90-5	Dgr	[1]	
EC: 231-072-3	Water-react. 2, H261		
REACH: 01-2119529243-45	Flam. Sol. 1, H228		
ALUMINIUM POWDER (STABILISED)			
CAS: 7440-50-8		[1]	2.5 <= x % < 4.1
EC: 231-159-6			
REACH: 17-2119429821-40			
COPPER			

Information on ingredients :

[1] Substance for which maximum workplace exposure limits are available.

SECTION 4 : FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

4.1. Description of first aid measures

In the event of exposure by inhalation :

If inhaled, move the patient into the fresh air and keep warm and at rest.

If breathing is irregular or has stopped, proceed with artificial respiration and seek medical attention.

In the event of splashes or contact with eyes :

Wash thoroughly with fresh, clean water for 15 minutes holding the eyelids open.

If there is any redness, pain or visual impairment, consult an ophthalmologist.

In the event of splashes or contact with skin :

Watch out for any remaining product between skin and clothing, watches, shoes, etc.

In the event of swallowing :

Seek medical attention, showing the label.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5 : FIREFIGHTING MEASURES

Non-flammable.

5.1. Extinguishing media

Sparks and hot welding slags can cause a fire.

Suitable methods of extinction

- In the event of a fire, use :
- foam
- dry chemical agents
- carbon dioxide (CO2)

Unsuitable methods of extinction

In the event of a fire, do not use :

- water

5.2. Special hazards arising from the substance or mixture

In the event of a fire, the following may be formed : - fumes emitted by the fusion of the welding product

Do not breathe in smoke.

5.3. Advice for firefighters

BAGUETTES D'ALUMINIUM - BASSE TEMPERATURE

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Due to the toxicity of the gas emitted on thermal decomposition of the products, fire-fighting personnel are to be equipped with autonomous insulating breathing apparatus. **SECTION 6 : ACCIDENTAL RELEASE MEASURES** 6.1. Personal precautions, protective equipment and emergency procedures Consult the safety measures listed under headings 7 and 8. For first aid worker First aid workers will be equipped with suitable personal protective equipment (See section 8). 6.2. Environmental precautions Prevent any material from entering drains or waterways. 6.3. Methods and material for containment and cleaning up Retrieve the product by mechanical means (sweeping/vacuuming). 6.4. Reference to other sections No data available. SECTION 7 : HANDLING AND STORAGE Requirements relating to storage premises apply to all facilities where the mixture is handled. 7.1. Precautions for safe handling Always wash hands after handling, Remove and wash contaminated clothing before re-using. **Fire prevention :** Prevent access by unauthorised personnel. **Recommended equipment and procedures :** For personal protection, see section 8. Observe precautions stated on label and also industrial safety regulations. Prohibited equipment and procedures : No smoking, eating or drinking in areas where the mixture is used. 7.2. Conditions for safe storage, including any incompatibilities No data available. Packaging Always keep in packaging made of an identical material to the original. 7.3. Specific end use(s) No data available. SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION 8.1. Control parameters **Occupational exposure limits :** ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010) : CAS TWA : STEL : Ceiling : Definition : Criteria : 7429-90-5 2 mg/m3 7440-50-8 0.2 mg/m3 Belgium (Order of 19/05/2009, 2010) : STEL: Ceiling : Definition : Criteria : CAS TWA : 7429-90-5 10 mg/m3 7440-50-8 1 mg/m3- France (INRS - ED984 :2012) : VME-mg/m3 : VLE-ppm : VLE-mg/m3 : Notes : TMP No : CAS VME-ppm: 7429-90-5 10

- Switzerland (SUV)	A 2015) :				
CAS	VME	VLE	Valeur plafond	Notations	
7429-90-5	3 a mg/m3			В	
7440-50-8	0,1 i mg/m3	0,2 i mg/m3		SSC	
- UK / WEL (Workp	place exposure li	imits, EH40/200	05, 2007) :		
CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :
7429-90-5	2 mg/m3	-	-	-	-
7440-50-8	0.2 mg/m3	-	-	-	-

8.2. Exposure controls

Personal protection measures, such as personal protective equipment

Pictogram(s) indicating the obligation of wearing personal protective equipment (PPE) :



Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

- Eye / face protection

Avoid contact with eyes.

Before handling powders or dust emission, wear mask goggles in accordance with standard EN166.

- Hand protection

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question : other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Recommended properties :

- Impervious gloves in accordance with standard EN374

- Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

- Respiratory protection

Avoid breathing dust.

Type of FFP mask :

Company 1 information

Wear a disposable half-mask dust filter in accordance with standard EN149.

SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

General information :	
Physical state :	Solid.
Colour:	Silver.
Odour:	Odourless.
Important health, safety and environmental information	
pH :	Not relevant.
Boiling point/boiling range :	1314 °C.
Flash point interval :	Not relevant.
Vapour pressure (50°C) :	Not relevant.
Density :	6.68
Water solubility :	Insoluble.
Melting point/melting range :	420 °C.
9.2. Other information	
No data available.	

SECTION 10 : STABILITY AND REACTIVITY

10.1. Reactivity

In contact with water or damp air, the mixture releases highly flammable gases in dangerous quantities at a minimum rate of 1 litre/kg/hr.

10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

Avoid :

- formation of dusts

Dusts can form an explosive mixture with air.

10.5. Incompatible materials

No data available.

10.6. Hazardous decomposition products

The thermal decomposition may release/form :

- fumes emitted by the fusion of the welding product

SECTION 11 : TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

No data available.

11.1.1. Substances

No toxicological data available for the substances.

11.1.2. Mixture

No toxicological data available for the mixture.

SECTION 12 : ECOLOGICAL INFORMATION

Very toxic to aquatic life with long lasting effects.

The product must not be allowed to run into drains or waterways.

12.1. Toxicity

12.1.2. Mixtures

No aquatic toxicity data available for the mixture.

12.2. Persistence and degradability

No data available.

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Other adverse effects

No data available.

German regulations concerning the classification of hazards for water (WGK) :

WGK 2 (VwVwS vom 27/07/2005, KBws) : Hazardous for water.

SECTION 13 : DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

13.1. Waste treatment methods

Do not pour into drains or waterways.

Waste :

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Version 1.1 (04/12/2017) - Page 6/7

Soiled packaging :

Empty container completely. Keep label(s) on container. Give to a certified disposal contractor.

SECTION 14 : TRANSPORT INFORMATION

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2017 - IMDG 2016 - ICAO/IATA 2017).

14.1. UN number

3077

14.2. UN proper shipping name

UN3077=ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

(zinc powder - zinc dust (stabilised))

14.3. Transport hazard class(es)

- Classification :



9

14.4. Packing group

III

14.5. Environmental hazards

- Environmentally hazardous material :



14.6. Special precautions for user

ADR/RID	Class	Code	Pack gr.	Label	Ident.	LQ	Provis.	EQ	Cat.	Tunnel
	9	M7	III	9	90	5 kg	274 335 375 601	E1	3	-
Not subject to this regulation if $\Omega = 51/5$ kg (ADR 3.3.1 - DS 375)										

Not subject to this regulation if $Q \le 5 1 / 5 \text{ kg}$ (ADR 3.3.1 - DS 375)

IMDG	Class	2°Label	Pack gr.	LQ	EMS	Provis.	EQ
	9	-	III	5 kg	F-A,S-F	274 335 969	E1
Not exhibit to this merulation if $0 < 51/5$ by (MDC 2.2.1, 2.10.2.7)							

Not subject to this regulation if Q $\leq 51/5$ kg (IMDG 3.3.1 - 2.10.2.7)

IATA	Class	2°Label	Pack gr.	Passager	Passager	Cargo	Cargo	note	EQ
	9	-	III	956	400 kg	956	400 kg	A97	E1
								A158	
								A179	
								A197	
	9	-	III	Y956	30 kg G	-	-	A97	E1
					_			A158	
								A179	
								A197	

Not subject to this regulation if Q $\leq 51/5$ kg (IATA 4.4.4 - DS A197)

For limited quantities, see part 2.7 of the OACI/IATA and chapter 3.4 of the ADR and IMDG.

For excepted quantities, see part 2.6 of the OACI/IATA and chapter 3.5 of the ADR and IMDG.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No data available.

SECTION 15 : REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- Classification and labelling information included in section 2:

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 2016/1179. (ATP 9)

- Container information: No data available.
- Particular provisions :
- No data available.
- German regulations concerning the classification of hazards for water (WGK) : WGK 2 (VwVwS vom 27/07/2005, KBws) : Hazardous for water.
- Standardised American system for the identification of hazards presented by the product in view of emergency procedures (NFPA 704)

NFPA 704, Labelling: Health=1 Inflammability=0 Instability/Reactivity=0 Specific Risk=none



15.2. Chemical safety assessment

No data available.

SECTION 16 : OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

Wording of the phrases mentioned in section 3 :

H228	Flammable solid.
H261	In contact with water releases flammable gases.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Abbreviations :

ADR : European agreement concerning the international carriage of dangerous goods by Road.

IMDG : International Maritime Dangerous Goods.

IATA : International Air Transport Association.

ICAO : International Civil Aviation Organisation

RID : Regulations concerning the International carriage of Dangerous goods by rail.

WGK : Wassergefahrdungsklasse (Water Hazard Class).

GHS09 : Environment

PBT: Persistent, bioaccumulable and toxic.

vPvB : Very persistent, very bioaccumulable.

SVHC : Substances of very high concern.