Product Information Sheet

Model identifier(s):			Barrel III										
Indirect heating functionality: (yes/no)			No										
Direct heat output: (kW)			5.0kW										
Indirect heat output: (kW))		N/A										
Fuel			Preferred fuel (only one)	Other suitable fuel(s):	П s (%):	Space heating emissions at nominal heat output (*)				Space heating emissions at minimum heat output (*) (**)			
						P	OGC	co	Nox	P	OCG	co	Nox
						(x) mg/Nm ³ (13 %			O ₂)	(x) mg/Nm			³ (13 % O ₂)
Wood logs with moisture content $\leq 25\%$			Yes	No	17 76 1263 8			88					
Compressed wood with moisture content < 12%			No	No	-	-	-	-	-	-	-	-	-
Other woody biomass			No	No	-	-	-	-	-	-	-	-	-
Non-woody biomass			No	No	-	-	-	-	-	-	-	-	-
Anthracite and dry steam coal			No	No	-	-	-	-	-	-	-	-	-
Hard coke			No	No	-	-	-	-	-	-	-	-	-
Low temperature coke			No	No	-	-	-	-	-	-	-	-	-
Bituminous coal			No	No	-	-	-	-	-	-	-	-	-
Lignite briquettes			No	No	-	-	-	-	-	-	-	-	-
Peat briquettes			No	No	-	-	-	-	-	-	-	-	-
Blended fossil fuel briquettes			No	No	-	-	-	-	-	-	-	-	-
Other fossil fuel			No	No	-	-	-	-	-	-	-	-	-
Blended biomass and fossil fuel briquettes			No	No	-	-	-	-	-	-	-	-	-
Other blend of biomass and solid fuel			No	No	-	-	-	-	-	-	-	-	-
Characteristics when o	perating wi	th the pref	erred fuel										
Item	Symbol	Symbol Value Unit			Item Symbol Value Unit								nit
Heat Output				Useful effic	•								
Nominal heat output	P _{nom}	5,0	kW	Useful efficiency at nominal heat output			Ŋth,nom			79,8		%	
Minimum heat output (indicative)	P min	N/A	kW	Useful efficiency at minium heat output (indicative			1 1th,min		N/A		•	%	
Auxiliary electricity co	onsumption			Type of hea	at output/ro	om te	mpera	ture c	ontro	l (sele	ct one)		
At nominal heat output	elmax	N/A	kW	Single stage heat output, no room temperature control			Yes			0.0			
At minimum heat output	elmin	N/A	kW	two or more manual stages, no room temperature control			No			N/A			
In standby mode	elsb	N/A	kW	with mechanic thermostat room temperature control			No		N/A				
Permanent pilot flame power requirement				with electronic room temperature control			No		N/A			%	
Pilot flame power requirement (if applicable)	Ppilot	N/A	KW	with electronic room temperature control plus day timer			No			N/A			
				with electroni control plus w	c room temper veek timer	rature		No			N/A		
				Other Cont	trol options	(mult	iple sel	lection	ıs pos	sible)			
			room tempera presence dete	mperature control, with detection		No		N/A					
				room tempera open window	ture control, v detection	vith		No			N/A		%
Ì				with distance	1		1	No			N/A		l

^(*) PM = Particulate matter, OGCs = Organic gaseous compounds, Co = carbon monoxide, Nox = Nitrogen oxides (**) Only required if correction factors F(2) or F(3) are applied.

Clarke International Ltd, Hemnall Street, Epping, Essex CM16 4LG

Contact details