

CPE WATER PUMP MODEL NO: CPE20A1

PART NO: 7120310

OPERATION & MAINTENANCE INSTRUCTIONS



ORIGINAL INSTRUCTIONS

GC1120

INTRODUCTION

Thank you for purchasing this Clarke Water Pump.

Your CPE pump is a highly efficient, robust, continuously rated, self priming pump with a powerful electric motor, and is ideal for a wide range of domestic, commercial and agricultural uses. It is suitable for pumping clean tap and rain water, and will handle small solids in suspension. It is designed to give you trouble free service provided it is installed and used in the correct way. If the pump is left in an exposed position, it should be protected from the elements. especially frost.


Before attempting to use this product, please read this manual thoroughly and follow the instructions carefully. In doing so you will ensure the safety of yourself and that of others around you, and you can look forward to your purchase giving you long and satisfactory service.


This water pump has been designed to give long and trouble free service. If, however, having followed the instructions in this booklet carefully, you encounter problems, take the unit to your local Clarke dealer.

Please keep these instructions in a safe place for future reference.

PUMP SPECIFICATION

Water Classification	Clean
Maximum Delivery	500 L/min
Rated Head	2-14 m
Maximum Suction Lift	18 m
Supply	230V / 50Hz
Motor HP	2
Outlet Thread Size	2" BSP
Weight	14.5 kg





Parts & Service: 020 8988 7400 / E-mail: Parts@clarkeinternational.com or Service@clarkeinternational.com

GENERAL SAFETY PRECAUTIONS

Before using this equipment it is in your own interest to read and pay attention to the following safety rules.



WARNING: ALWAYS CONNECT THE PUMP TO AN EARTHED POWER SUPPLY VIA AN RCD.

- 1. **NEVER** use for pumping flammable liquids or corrosive chemicals. This pump is designed to pump clean water only.
- 2. **ALWAYS** keep the working area clean and well lit. Floors should always be kept clear. Cluttered or dark areas invite accidents.
- 3. **NEVER** over-reach. Keep your proper footing and balance at all times when installing or maintaining the pump.
- 4. NEVER direct any water discharge towards electrical wiring or equipment.
- 5. **ALWAYS** thoroughly familiarise yourself with this pump & its operation, and follow all instructions in this manual. Never allow persons unfamiliar with these instructions to instal or operate the pump.
- 6. **ALWAYS** ensure that the pump is properly installed to prevent it from moving during operation, and that the immediate area surrounding the pump is kept clear.
- 7. **ALWAYS** maintain the pump with care and keep it clean for best / safest performance.
- 8. **NEVER** use this product if any part is damaged. Have it inspected and repaired by your local Clarke dealer. Always turn the pump off before carrying out any maintenance.
- 9. **NEVER** modify this pump in any way. Use it ONLY for the purpose for which it is designed.
- 10. **ALWAYS** have the pump serviced by your local Clarke dealer, using only identical replacement parts. This will ensure the safety of the pump is maintained. The use of non standard parts could be hazardous.
- 11. **NEVER** allow the pump to run dry.



CAUTION: THIS PUMP IS NOT A SUBMERSIBLE PUMP. ON NO ACCOUNT SHOULD IT EVER BE IMMERSED IN WATER.

INSTALLATION

Because of the number of possible installations, no accessories are supplied with your pump except for a pair of male inlet/outlet adaptors. However accessories are available from your nearest Clarke dealer.

NOTE: It is recommended that the end user should consult a qualified installer if there are any doubts as to the suitability of this product for a particular installation.

IMPORTANT: The pump MUST NOT be connected to the mains power supply until all hose/pipe installation is completed. and it has been primed.

POSITIONING OF THE PUMP

The pump must always be installed and operated in a horizontal position i.e. with the outlet port facing vertically upwards. The fixing holes in the base should be used to secure the pump firmly in it's operating position. Mount the pump on raised blocks or a purpose built platform to protect it from flooding. Some kind of anti-vibration mounting is also desirable.

Always ensure there is adequate air circulation around the motor. The pump should be installed in a dry, well ventilated enclosure, sheltered from rain.

ELECTRICAL CONNECTION

The pump should be located at such a distance away from any pond or pool, as to avoid the possibility of immersion and the power supply should also be a safe distance away. If in doubt, please contact your electrical specialist and refer to national regulations.

Avoid situations where the pump could become drenched with water as neither the motor or terminal box are designed to be totally waterproof. Ensure the pump & its power cable do not create a safety hazard for people walking past it.


ELECTRICAL CONNECTIONS



WARNING! READ THESE ELECTRICAL SAFETY INSTRUCTIONS THOROUGHLY BEFORE CONNECTING THE PRODUCT TO THE MAINS SUPPLY.

Before switching the pump on, make sure that the voltage of your electricity supply is the same as that indicated on the rating plate or on the junction box cover on top of the motor. This product is designed to operate on 230VAC 50Hz. Connecting it to any other power source may cause damage.

Installation should be carried out by a qualified electrician, using I.E.E




approved cable and fittings, and in accordance with I.E.E. Regulations. However, in the further interests of safety we would emphasise the electrical hazard.



WARNING: WIRES IN THE MAINS LEAD ARE COLOURED IN ACCORDANCE WITH THE FOLLOWING CODE: GREEN/YELLOW = EARTH, BLUE = NEUTRAL, BROWN = LIVE.

- The BLUE wire must be connected to the terminal marked N or coloured black.
- The BROWN wire must be connected to the terminal marked L or coloured red.
- The YELLOW AND GREEN wire must be connected to the terminal marked E



or \ddagger or coloured green.

We strongly recommend that this machine is connected to the mains supply via a Residual Current Device (RCD).

If in any doubt, consult a qualified electrician. DO NOT attempt any connections yourself.


PIPE/HOSE CONNECTIONS

The pump inlet and discharge ports are both 1½" BSP (38 mm) female threads and accept the adaptors supplied.

Hoses with the same diameter should be used and secured to the adaptor with a suitable hose clip.

Ensure all connections are air tight when under pressure but not so tight as to crack the plastic inlet/outlet adaptors.

These notes are for guidance on




how to achieve a proper working system. The diagram (Fig. 1) above shows a typical installation at the pump.

A foot valve and filter should be fitted to the lower end of the suction hose, as illustrated in Fig. 2, so as to retain water in the suction system and more importantly, to prevent the possibility of large foreign objects entering the pump body.

FURTHER CONSIDERATIONS

- Strain caused by vibration can be reduced by connecting a short flexible hose between any rigid pipework and the pump.
- We recommend that you always use pipes/hoses with a minimum diameter of 1½" (38 mm).
- Any restriction in the pipeline will greatly reduce the flow.
- Ensure that the hoses and pipes are supported along their entire length. They will be considerably heavier when filled with water.
- We recommend that you install isolation valves either side of the pump in order to isolate the pump during maintenance/removal.
- A gate valve may be installed in-line on the delivery side of the pump which can be adjusted as required to regulate the flow of water and can assist in priming the pump.



- **WARNING:**-DO NOT place any such obstruction on the suction side (inlet Port) of the pump unless it is an isolator valve in a gravity fed system. It is also IMPORTANT to note, that these pumps should not be operated with the delivery valve completely closed.
- If there is any chance of freezing, protect the pump and pipework with suitable lagging. The formation of ice may cause serious damage.

IMPORTANT: The pump MUST NOT be connected to the mains supply until all hose/pipe installation is completed. DO NOT RUN THE PUMP DRY

NOTE: If any part of the system is to be connected to the mains water supply ensure that local water authority regulations are observed.

OPERATION

- 1. Open any valves in the pipeline.
- 2. If operating the pump for the first time, prime the pump as described.

NOTE: Re-priming) is only necessary if the pump has been drained.

- 3. Connect to the power supply and switch on.
 - When water starts to flow through the system check for leaks and correct as necessary.
 - If the motor fails to start or the pump does not deliver water, refer to TROUBLESHOOTING.
 - Never operate the pump when not primed with water or if the inlet is blocked which would allow the pump to run dry, causing damage.

NOTE: Filling the suction pipe with water will speed up the priming process, and it is essential that a non-return valve be fitted to the end of the suction pipe.

4. Stop the pump by switching off the power supply.

CARE DURING USE

- 1. Do not allow the pump to run dry otherwise the seal between the pump and motor may be damaged. If a leak occurs at this point, allowing water to pass from the pump to the motor, take the pump to your Clarke dealer for overhaul.
- 2. In the event of a blockage, where debris has entered the pump, it can be cleaned out as described under MAINTENANCE.
- 3. DO NOT USE for pumping chemicals or other corrosive liquids. Should contaminants enter the pump, flush through with water as soon as possible to prevent damage.
- 4. If the pump is being used to drain a pool, ensure there is adequate drainage and there is no risk of damage to property as a result of water being discharged. If a flexible hose must be laid across a roadway, protect it with wooden planking.

MAINTENANCE

Inspect the pump/hoses regularly to ensure that debris is not blocking the passage of water. If you suspect the pump is blocked by silt, leaf debris etc, disconnect it from the power supply, disconnect the discharge hose and back-flush to clear any blockage using a hosepipe.

Always keep the pump in a clean condition and check regularly for damage to the power cable etc.

All electrical connections should be inspected regularly for signs of corrosion and cleaned where necessary. It is advisable to apply a film of silicon grease on the terminals for added protection.

AFTER USE

After use, and if the pump will not be used over the winter period or if there is danger of freezing, always drain the pump body.

If the pump has been used with contaminated or salty water it should be thoroughly flushed with clean water following use, both inside and out. It should then be drained and covered over if not already sheltered from the weather.

If the pump is seized following a period of inactivity it may be possible to free it off. Ensure the power supply is turned off before by inserting a screwdriver into either the infeed or discharge port and dislodging a jammed impeller. If this is not successful it may be necessary to remove the relevant mounting bolts to separate the pump body and clean away any incrustation.

Re-prime the pump when returning to service.

In the event that overhaul of the pump or motor is necessary, contact your Clarke service department.

ENVIRONMENTAL RECYCLING POLICY



Through purchase of this product, the customer is taking on the obligation to deal with the WEEE in accordance with the WEEE regulations in relation to the treatment, recycling & recovery and environmentally sound disposal of the WEEE.

In effect, this means that this product must not be disposed of with general household waste. It must be disposed of according to the laws governing Waste Electrical and Electronic Equipment (WEEE) at a recognised disposal facility.

TROUBLESHOOTING

Problem	Cause	Solution
Pump does not run.	Thermal protection has been activated.	If the motor has over- heated, wait for it to cool down before trying again.
	Faulty power connection	Check and repair con- nection as necessary.
	No mains supply	Check fused power supply and replace fuse if necessary (check fuse rating). Check circuit breaker
	Impeller seized/blocked	Disconnect pump from power supply. Investigate cause and clear blockage
Pump fails to prime	Air leaks through suction hose joints (damaged hose, broken clamp, damaged.	Repair connections/ replace hose as necessary.
	Blocked inlet hose	Check pipeline for blockage. Check any inlet valve fitted is fully open.
Pump runs but gives poor output	Congested material inside pump	Clean out & backflush pump.
	Suction or delivery line obstructed.	Remove obstruction and ensure there are no kinks in delivery line.
	Inlet pipe leakage.	Check inlet pipe and connector for leaks. Tighten as required.
	Air leaks through damaged seal.	Renew seal.
	Impeller damaged and making poor seal.	Return to your Clarke dealer for repair
	Impeller / mechanical	Return to your Clarke

Parts & Service: 020 8988 7400 / E-mail: Parts@clarkeinternational.com or Service@clarkeinternational.com

	High friction losses in the suction line.	Avoid unnecessary curves, restrictions or valves
	Pump badly sited result- ing in suction lift too high	Set pump as close as possible to the level of the water to be pumped
Sudden loss of flow.	Blockage of inlet pipe	Check pipeline for blockage.
Undue vibration or noise.	Excessive flow of water.	Decrease flow of water. by adjusting inlet/outlet valves in system.
	Resistance in inlet pipe caused by obstruction.	Check pipe and clean out as necessary
	Loose rotating component	Return to your dealer for repairs.
	Installation of pump is unstable.	Stop pump and re-position.
	Air pocket in pump or pipeline.	Release plug in impeller housing to release air.
	Damaged impeller	Return to your Clarke dealer for repair.

GUARANTEE


This product is guaranteed against faulty manufacture for a period of 12 months from the date of purchase. Please keep your receipt which will be required as proof of purchase.

This guarantee is invalid if the product is found to have been abused or tampered with in any way, or not used for the purpose for which it was intended.

Faulty goods should be returned to their place of purchase, no product can be returned to us without prior permission.

This guarantee does not effect your statutory rights.

PARTS DIAGRAM - CPE20A



Parts & Service: 020 8988 7400 / E-mail: Parts@clarkeinternational.com or Service@clarkeinternational.com

PARTS LIST - CPE20A

ID	DESCRIPTION	MANUFID	ID	DESCRIPTION	MANUFID
1	Connector 2" (50 mm)	GM1010	19	Bearing	GM5466
2	Washer	GM5342	20	Motor bracket	GM5503
3	Pump body	GM5571	21	Condenser	GM6994
4	Valve body	GM5854	22	Elastic washer	GM6996
5	Check valve	GM6012	23	Rear motor cover	GM6997
6	Flexolite gasket	GM6029	24	Fan	GM6998
7	Washer	GM6162	25	Fan cover	GM6999
8	Flexolite washer	GM6186	26	Motor stator	GM7168
9	Plug	GM6209	27	N/a	N/a
10	Plug	GM6213	28	Junction box cover	GM8018
11	Screw	GM6235	29	Screw	GM8084
12	Screw	GM6236	30	Motor shaft	GM8643
13	Mechanical seal	GM6334	31	N/a	N/a
14	Counterface	GM6346	32	Condenser box	GM9194
15	Nut	GM7103	33	Gasket	GML045
16	Impeller	GM8612	34	Gasket	GML046
17	Key 4 x 4 x 16	GMF156	35	Condenser clip	GML153
18	Bearing	GM5465	36	Motor (1PH)	GM8657

ACCESSORIES

1½" BSP Plastic Foot Valve Filter FVF15Part No:79506821½" dia Reinforced Suction/Delivery HosePart No:79550151½" dia Layflat Delivery Hose 10MPart No:79551551½" BSP Female CouplingPart No:79503151½" BSP Male CouplingPart No:7950215

DECLARATION OF CONFORMITY

	INTERNATIONAL INTERNATIONAL International	CE CEALER INTERNATIONAL	
DECL	DECLARATION OF CONFORMITY		B, ESSOX CM16 41G
This is an ir	This is an important document and should be retained.	This is an important document and should be retained	ent and should be retained.
Product Description:	Water Pump	10	44 - 6 - 11
Model number(s):	CPE20A1	we needy declare that this product(s) complies with the following directive(s):	the following directive(s):
Serial / batch Number:	N/A		recuve.
Date of Issue:	06/11/2020	2006/4/2EC Machinery Directive. 2014/35/EU Low Voltage Equipment Directive.	¢
(Noise Conformity)			Restriction of Hazardous Substances (amended by (FLI) 2015/863)
Notified Body:			nded by 2005/88/EC).
Technical Documentation Holder:	A.R. Pond		
	Clarke International	The following standards have been applied to the product(s):	oduct(s):
	2a Shrubland Road	EN ISO 12100-2010, EN 809:1998+A1:2009, EN 60204-1.	50204-1.
	London E10 7RB		
	UK	The state of the s	2
		The recrimical occumentation required to demonstrate that the product(s) meet(s) the requirement(s) of the aforementioned directive(s) has been compiled and is available for inspection by the relevant enforcement	hat the product(s) meet(s) the requirement(s) of available for inspection by the relevant enforcem
Conformity Assessment Procedure: to 2000/14/EC Annex V	: to 2000/14/EC Annex V	authorities.	
Manufacturer:	European Supplier	2000 2000 2000	
Noise Related Value:	1.5 kW	The CE mark was first applied in: 2015	tt applied in: 2015
Measured Sound Power Level:	69 dB		
Guaranteed Sound Power Level:	71 dB		
		Signed:	Helde
CPE20A1 Water Pump D O C (rv1)No20-0121	Page 1 of 2	CPE30A1 Water Pump D O C (rv1)No20-0121	Page 2 of 2



PARTS & SERVICE: 0208 988 7400

Parts Enquiries Parts@clarkeinternational.com

Servicing & Technical Enquiries Service@clarkeinternational.com

SALES: UK 01992 565333 or Export 00 44 (0)1992 565335