


TELESCOPIC MULTI-PURPOSE LADDER





1	About these instructions	1
2	Intended use	1
3	General safety instructions	1
4	Markings on the product	2
5	Scope of delivery	3
6	Setup and use	3
7	Maintenance and servicing	3
	7.1 Commercial use	3
	7.2 Periodic inspections	4
8	Transportation and storage	4
9	Packaging and disposal	4
10	Guarantee	4

1 About these instructions

This instruction manual describes how to safely use telescopic multi-function ladders.

- Please read through these instructions before use and retain them for future reference.
- This instruction manual must be included if you pass on the ladder to someone else.

2 Intended use

This ladder is a piece of mobile work equipment that can be used in different places.

This ladder may only be used in accordance with these instructions. Any other use is considered improper.

The manufacturer does not accept any liability for any damage resulting from improper use.

Any modifications to the ladder that are not authorised by the manufacturer will void the warranty and exclude any liability of the manufacturer.

3 General safety instructions

In addition to the general safety instructions, users must take note of the general markings on the product (see "**General markings**" on page **2**).

1. The ladder may only be set up and used by persons familiar with these assembly and use instructions.
2. The ladder and its parts may not be modified.
3. Before using the ladder, check that all its parts are

assembled correctly and functioning properly.

4. When using the ladder, there is a risk of the user falling from the ladder or the ladder toppling over. This may cause injury to persons or damage to property.
5. Make sure that the ladder is suitable for the application in question and is set up in a proper position during use.
6. The ladder should only be set up on an even, horizontal and stable surface that can withstand the load. Use load-distributing pads if necessary.
7. Do not move the ladder while standing on it.
8. When setting up the ladder, beware of the risk of collisions, e.g. with pedestrians, vehicles or doors. Whenever possible, lock any doors (except emergency exits) and windows in the working area.
9. The ladder must be stand on its feet, not on its rungs or steps.
10. Work involving the use of the ladder must be carried out in a way that minimises the risk of the user falling or the ladder toppling.
11. When using the product outdoors, take safety precautions to protect it against the influence of wind.
12. The ladder should only be used for performing light work over a short period of time.
13. Fatigue while using the ladder is detrimental to safety. Never work for long periods of time on the ladder without taking regular breaks.
14. Only stand on surfaces intended to be stepped on.
15. Do not use the ladder if it is soiled (with e.g. wet paint, dirt, oil or snow).
16. Do not use the ladder outdoors in poor weather conditions, e.g. strong winds.
17. Never move the ladder from the top.
18. Always use non-conducting ladders when you are required to work around electricity.
19. Do not spend long periods on a ladder without regular breaks (tiredness is a risk).
20. Single or multiple joint ladders should be unfolded/ folded when lying on the ground and not in its use position.

Commercial use

21. To ensure the product is used properly, carry out a risk assessment in accordance with the legal requirements in the country of use.
22. The rules and regulations applicable in the country of use must be observed especially when using the product commercially.

4 Markings on the product

Do not remove the safety markings or cover them with adhesive labels or paint.

Depending on the ladder design, not all of the safety markings described below will appear on the ladder.

General markings



Falling from the ladder may cause serious injuries.



Read the instructions in their entirety. Additional information on the ladder is available online.



Never use a damaged ladder. Inspect the ladder for signs of damage upon delivery and before every use.



Visually check the ladder is not damaged and is safe to use at the start of each day when the ladder is to be used.



Inspect ladder feet.



The maximum load capacity may not be exceeded.



Do not use the ladder on an uneven or unstable surface.



Avoid leaning out of the product's sides.




Only one person may be on the ladder at any time.




Always face the ladder when climbing or descending it.



Never use the ladder to bridge a gap.



For ladders that require a stabiliser do not use the ladder until the stabiliser bar has firstly been fully attached and secured to the ladder.



The ladder is suitable for both commercial and household use.



Do not set up the ladder on a soiled surface.




Ensure you grab on to the ladder securely when climbing or descending it.



Avoid work that involves exerting a lateral load on the ladder, e.g. drilling into solid materials to the side of the ladder.



While using the ladder, do not carry heavy or bulky equipment.



Wear appropriate shoes while climbing the ladder.




Do not use the ladder if you have limited physical ability. Be aware of your health and physical condition. Consumption of medications, alcohol or drugs is detrimental to safety.



Warning! Electricity hazard.

Identify all risks posed by electrical equipment in the working area, e.g. high-voltage power lines or other exposed electrical equipment. Do not use the ladder if there are electrical risks.



Do not use a stepladder as a means of crossing over to another surface.



Never stand on the top two treads/rungs of a stepladder that does not have a platform and fittings for hands/knees to hold on to.



Do not use the ladder when it is folded.



Only use the ladder when both ladder sections are fully secured against splaying



The ladder must be set up in a correct position, e.g. the proper ladder angle (65° to 75°)



When using a single ladder to access greater heights, ensure that the ladder extends at least 1 m beyond the resting point and secure the ladder where necessary.



The ladder may only be used in the orientation specified.



Do not lean the ladder against an inappropriate surface.



Never stand on the top three rungs of a single ladder.



Always check that the locking mechanisms on the hinges are in order before using the ladder



Always check that the locking mechanisms on the handles are in order before using the ladder.

5 Scope of delivery

- 1x telescopic multi-function ladder
- 1x instructions for use

6 Setup and use

For commercial use, it is recommended to perform an inspection and record it on an inspection label before using the ladder for the first time (see "Periodic inspections" on page 4).

7 Maintenance and servicing

To ensure safety when using the ladder, we recommend using only original spare parts. Using spare parts from other manufacturers that do not meet

the required specifications may void the warranty.

Care and maintenance of the ladder are meant to ensure its proper functioning. The ladder must be regularly inspected for signs of damage. It is necessary to ensure that moving parts are functioning properly.

Repair work on the ladder has to be carried out by a competent person and in accordance with the manufacturer's instructions.

Cleaning

The ladder should be cleaned immediately after use if it is visibly soiled. This applies especially to all its moving parts. The product can be cleaned using water and a small amount of conventional cleaning agent. Do not allow cleaning agents to seep into the soil.

- Dispose of used cleaning solutions in accordance with the applicable environmental regulations.

Lubricating moving parts

- Lubricate all moving parts with conventional lubricating oil. Select a thin-bodied oil when using the product in winter.
- Dispose of oil-soaked cleaning rags according to the relevant environmental regulations.

WARNING

Slippery surfaces are a source of fall hazard!

Lubricating oil and liquids on standing surfaces can cause personnel to fall and injure themselves.

- Wipe off excess oil.
- Clean off any soiling (e.g. wet paint, snow).

7.1 Commercial use

For commercial use, it is necessary to have the ladder periodically inspected by a competent person to ensure it is in good working order (visual inspection and functional check).

It is crucial to define the type, scope and schedule of the necessary inspections. The intervals between inspections depend on the operating conditions, especially the frequency of use, the stress the product is subject to during use, and the frequency and severity of previously found defects. The user must ensure that defective ladders are removed from use and stored in such a way that makes it impossible for them to be used until they are properly repaired or disposed of. The complete inspection sheet can be downloaded from the manufacturer's website.

7.2 Periodic inspections

The ladder must be regularly inspected for operational safety by a competent person. The competent person is to be authorised by the user to perform the required inspection and shall take part in seminars required by law of the country in question.

- The inspection intervals must be appropriate for the specific operating conditions.
- Inspection must be carried out at least once a year.
- The inspection must be documented. Check sheets for ladder inspection are available on the manufacturer's website.
- After the product has passed the inspection, attach an inspection label on the product. The month and year in which the next inspection is due must be clearly visible.

Defective or incomplete ladders and parts may no longer be used.

Stiles/legs

- Check for deformation, bending, twisting and cracks.
- Check for dents, damage, sharp edges, corrosion, chipping, burrs and signs of wear.
- Check the condition of the attachment points for other parts.
- Check for completeness and secure attachment.

Anti-splay mechanism

- Check for warping, dents, cracks and proper functioning of the fastening elements.
- Check for damage and corrosion.

Fittings, hinges

- Check for damage, cracks, bends and corrosion.
- Check for signs of wear and proper functioning.
- Check for completeness and secure attachment.

Rungs, treads, guide brackets, platform

- Check for deformation and cracks.
- Check for dents, damage, sharp edges, chipping, burrs and signs of wear.
- Check that they are securely attached to the stiles.
- Check the locking mechanisms (e.g. locking latch, rung hooks) for signs of wear and proper functioning.

Ladder feet, castors

- Check for damage and corrosion.
- Check for signs of wear and proper functioning.
- Check for completeness and secure attachment.

Labelling

- Check for legibility and damage.

Accessories

- Check for completeness and secure attachment.

Soiling, dirt

- Check for soiling cause by paint, dirt, grease or oil.

8 Transportation and storage

- Store ladders in such a way that they cannot be damaged (e.g. bent or twisted).
- Protect ladders from the influence of weather and keep them from unauthorised use (e.g. by children).
- Prevent damage of the ladder when transporting e.g. by fastening and ensure they are suitably placed to prevent damage.
- When transporting ladders to or from their place of storage, they should be properly secured to keep them from sliding and prevent impact and accidents.
- Do not throw the ladder during loading and unloading.
- Ensure ladders are properly secured when transporting them on a vehicle's roof racks or inside a vehicle.

9 Packaging and disposal

- The packaging material may cause suffocation. Dispose of the packaging material properly.
- Dispose of ladders and their parts in accordance with local laws and regulations.

10 Guarantee

- Our guarantee includes: faults arising from defects in Workmanship or Materials except for -
- Ordinary wear and tear of the Product;
 - Damage caused by misuse or abuse of the Product;
 - Damage caused by a failure to comply with all written Warnings and Instructions for the Product;
 - Damage caused by an attempted repair of the Product

Material – means a material or component used by Werner in the manufacture of the Product.

Workmanship – means the handling, assembly and manufacturing processes performed by or on behalf of Werner in order to manufacture the Product.

WERNER UK SALES & DISTRIBUTION LTD.
BLACKWATER TRADING ESTATE, THE CAUSEWAY, MALDON, ESSEX, CM9 4LJ.
WERNERCO HUNGARY KFT.
6000 KECSKEMÉT, SZT. ISTVAN KRT. 19

wernerco.com/eu

PN125972 ©WernerCo Rev. A