

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Issue date: 28/4/2020 Version: 2

1.1. Product identifier	substance/mixture and of the company/undertaking
Product form	Mixture
Trade name	Surface Cleaner / Sanitiser
Product code	(CS2) 3051135
1.2. Relevant identified uses of the s	ubstance or mixture and uses advised against
1.2.1. Relevant identified uses	
No additional information available	
1.2.2. Uses advised against	
No additional information available	
1.3. Details of the supplier of the saf	ety data sheet
CLARKE International Ltd	
Sealand House Hemnal Street	
Epping Essex	
CM16 4LG F +44 (0) 1992 565 300 - F +44 (0) 1992 56	1 560
() ()	1 502
1.4. Emergency telephone number Emergency number	
5	01530 272 922
	OFFICE HOURS MONDAY TO THURSDAY 8:30-5:30. FRIDAY : 8:30 - 2:00PM
SECTION 2: Hazards identification	
2.1. Classification of the substance	or mixture
Classification according to Regulation (E	C) No. 1272/2008 [C] P1
Skin corrosion/irritation, Category 2	H315
Skin corrosion/irritation, Category 2 Serious eye damage/eye irritation, Category	H315
	H315 / 2 H319
Serious eye damage/eye irritation, Category	H315 / 2 H319
Serious eye damage/eye irritation, Categor Hazardous to the aquatic environment — C	H315 / 2 H319
Serious eye damage/eye irritation, Categor Hazardous to the aquatic environment — C	H315 / 2 H319 hronic Hazard, Category 2 H411
Serious eye damage/eye irritation, Category Hazardous to the aquatic environment — C Full text of H statements : see section 16 Adverse physicochemical, human health Causes skin irritation. Causes serious eye i	H315 / 2 H319 hronic Hazard, Category 2 H411
Serious eye damage/eye irritation, Categor Hazardous to the aquatic environment — C Full text of H statements : see section 16 Adverse physicochemical, human health	H315 / 2 H319 hronic Hazard, Category 2 H411 and environmental effects
Serious eye damage/eye irritation, Category Hazardous to the aquatic environment — C Full text of H statements : see section 16 Adverse physicochemical, human health Causes skin irritation. Causes serious eye i	H315 / 2 H319 hronic Hazard, Category 2 H411 and environmental effects rritation. Toxic to aquatic life with long lasting effects.
Serious eye damage/eye irritation, Category Hazardous to the aquatic environment — C Full text of H statements : see section 16 Adverse physicochemical, human health Causes skin irritation. Causes serious eye i 2.2. Label elements	H315 / 2 H319 hronic Hazard, Category 2 H411 and environmental effects rritation. Toxic to aquatic life with long lasting effects.
Serious eye damage/eye irritation, Category Hazardous to the aquatic environment — C Full text of H statements : see section 16 Adverse physicochemical, human health Causes skin irritation. Causes serious eye i 2.2. Label elements Labelling according to Regulation (EC) N	H315 / 2 H319 hronic Hazard, Category 2 H411 and environmental effects rritation. Toxic to aquatic life with long lasting effects.
Serious eye damage/eye irritation, Category Hazardous to the aquatic environment — C Full text of H statements : see section 16 Adverse physicochemical, human health Causes skin irritation. Causes serious eye i 2.2. Label elements Labelling according to Regulation (EC) N	H315 / 2 H319 hronic Hazard, Category 2 H411 and environmental effects rritation. Toxic to aquatic life with long lasting effects.
Serious eye damage/eye irritation, Category Hazardous to the aquatic environment — C Full text of H statements : see section 16 Adverse physicochemical, human health Causes skin irritation. Causes serious eye i 2.2. Label elements Labelling according to Regulation (EC) N	H315 / 2 H319 hronic Hazard, Category 2 H411 and environmental effects rritation. Toxic to aquatic life with long lasting effects.
Serious eye damage/eye irritation, Category Hazardous to the aquatic environment — C Full text of H statements : see section 16 Adverse physicochemical, human health Causes skin irritation. Causes serious eye i 2.2. Label elements Labelling according to Regulation (EC) N	H315 / 2 H319 hronic Hazard, Category 2 H411 and environmental effects rritation. Toxic to aquatic life with long lasting effects.
Serious eye damage/eye irritation, Category Hazardous to the aquatic environment — C Full text of H statements : see section 16 Adverse physicochemical, human health Causes skin irritation. Causes serious eye i 2.2. Label elements Labelling according to Regulation (EC) N	H315 / 2 H319 hronic Hazard, Category 2 H411 and environmental effects rritation. Toxic to aquatic life with long lasting effects. Io. 1272/2008 [CLP] : : : : : : : : : : : : :
Serious eye damage/eye irritation, Category Hazardous to the aquatic environment — C Full text of H statements : see section 16 Adverse physicochemical, human health Causes skin irritation. Causes serious eye i 2.2. Label elements Labelling according to Regulation (EC) N Hazard pictograms (CLP)	H315 /2 H319 hronic Hazard, Category 2 H411 and environmental effects rritation. Toxic to aquatic life with long lasting effects. b. 1272/2008 [CLP] i i GHS07 GHS09 i Warning i H315 - Causes skin irritation.
Serious eye damage/eye irritation, Category Hazardous to the aquatic environment — C Full text of H statements : see section 16 Adverse physicochemical, human health Causes skin irritation. Causes serious eye i 2.2. Label elements Labelling according to Regulation (EC) N Hazard pictograms (CLP)	H315 /2 H319 hronic Hazard, Category 2 H411 and environmental effects rritation. Toxic to aquatic life with long lasting effects. b. 1272/2008 [CLP] : : GHS07 GHS09 : Warning : H315 - Causes skin irritation. H319 - Causes serious eye irritation.
Serious eye damage/eye irritation, Category Hazardous to the aquatic environment — C Full text of H statements : see section 16 Adverse physicochemical, human health Causes skin irritation. Causes serious eye i 2.2. Label elements Labelling according to Regulation (EC) N Hazard pictograms (CLP) Hazard statements (CLP)	H315 /2 H319 hronic Hazard, Category 2 H411 and environmental effects rritation. Toxic to aquatic life with long lasting effects. Io. 1272/2008 [CLP] : GHS07 GHS09 : Warning : H315 - Causes skin irritation. H319 - Causes serious eye irritation. H319 - Causes serious eye irritation. H411 - Toxic to aquatic life with long lasting effects.
Serious eye damage/eye irritation, Category Hazardous to the aquatic environment — C Full text of H statements : see section 16 Adverse physicochemical, human health Causes skin irritation. Causes serious eye i 2.2. Label elements Labelling according to Regulation (EC) N Hazard pictograms (CLP)	H315 /2 H319 hronic Hazard, Category 2 H411 and environmental effects rritation. Toxic to aquatic life with long lasting effects. to. 1272/2008 [CLP] : : : : : : : : : : : : :
Serious eye damage/eye irritation, Category Hazardous to the aquatic environment — C Full text of H statements : see section 16 Adverse physicochemical, human health Causes skin irritation. Causes serious eye i 2.2. Label elements Labelling according to Regulation (EC) N Hazard pictograms (CLP) Hazard statements (CLP)	H315 /2 H319 hronic Hazard, Category 2 H411 and environmental effects rritation. Toxic to aquatic life with long lasting effects. b. 1272/2008 [CLP] i i i i i i i i i i
Serious eye damage/eye irritation, Category Hazardous to the aquatic environment — C Full text of H statements : see section 16 Adverse physicochemical, human health Causes skin irritation. Causes serious eye i 2.2. Label elements Labelling according to Regulation (EC) N Hazard pictograms (CLP) Hazard statements (CLP)	H315 /2 H319 hronic Hazard, Category 2 H411 and environmental effects rritation. Toxic to aquatic life with long lasting effects. bo. 1272/2008 [CLP] i i i i i i i i i i
Serious eye damage/eye irritation, Category Hazardous to the aquatic environment — C Full text of H statements : see section 16 Adverse physicochemical, human health Causes skin irritation. Causes serious eye i 2.2. Label elements Labelling according to Regulation (EC) N Hazard pictograms (CLP) Hazard statements (CLP)	H315 /2 H319 hronic Hazard, Category 2 H411 and environmental effects rritation. Toxic to aquatic life with long lasting effects. b. 1272/2008 [CLP] i i i i i i i i i i
Serious eye damage/eye irritation, Category Hazardous to the aquatic environment — C Full text of H statements : see section 16 Adverse physicochemical, human health Causes skin irritation. Causes serious eye i 2.2. Label elements Labelling according to Regulation (EC) N Hazard pictograms (CLP) Hazard statements (CLP)	H315 /2 H319 hronic Hazard, Category 2 H411 and environmental effects ritation. Toxic to aquatic life with long lasting effects. Io. 1272/2008 [CLP] $i \qquad \qquad$
Serious eye damage/eye irritation, Category Hazardous to the aquatic environment — C Full text of H statements : see section 16 Adverse physicochemical, human health Causes skin irritation. Causes serious eye i 2.2. Label elements Labelling according to Regulation (EC) N Hazard pictograms (CLP) Hazard statements (CLP)	H315 /2 H319 hronic Hazard, Category 2 H411 and environmental effects rritation. Toxic to aquatic life with long lasting effects. to. 1272/2008 [CLP] i i i i i i i i
Serious eye damage/eye irritation, Category Hazardous to the aquatic environment — C Full text of H statements : see section 16 Adverse physicochemical, human health Causes skin irritation. Causes serious eye i 2.2. Label elements Labelling according to Regulation (EC) N Hazard pictograms (CLP) Hazard statements (CLP)	H315 /2 H319 hronic Hazard, Category 2 H411 and environmental effects ritation. Toxic to aquatic life with long lasting effects. Io. 1272/2008 [CLP] $i \qquad \qquad$

SECTION 3: Composition/information on ingredients 3.1. Substances

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
dodecyl dipropylenetriamine	(REACH-no) 01-2119980592-29- XXXX	>=0.5 - <5	Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 STOT RE 2, H373 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Full text of H-statements: see section 16

SECTION 4: First aid measures			
4.1. Description of first aid measures			
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.		
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention.		
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.		
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.		
4.2. Most important symptoms and effects, I	both acute and delayed		
Symptoms/effects after skin contact	: Irritation.		
Symptoms/effects after eye contact	: Eye irritation.		
4.3. Indication of any immediate medical attention and special treatment needed			
Treat symptomatically.			
SECTION 5: Firefighting measures			
5.1. Extinguishing media			
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.		
5.2. Special hazards arising from the substance or mixture			
Hazardous decomposition products in case of fire	: Toxic fumes may be released.		
5.3. Advice for firefighters			
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.		

SECTION 6: Accidental release measures			
6.1. Personal precautions, protective eq	uipment and emergency procedures		
6.1.1. For non-emergency personnel			
Emergency procedures	: Ventilate spillage area. Avoid contact with skin and eyes.		
6.1.2. For emergency responders			
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".		
6.2. Environmental precautions			
Avoid release to the environment.			
6.3. Methods and material for containme	ent and cleaning up		
For containment	: Collect spillage.		
Methods for cleaning up	: Take up liquid spill into absorbent material.		
Other information	: Dispose of materials or solid residues at an authorized site.		
6.4. Reference to other sections			
For further information refer to section 13.			

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal protective equipment.
Hygiene measures	: Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, including a	ny incompatibilities
Storage conditions	: Store in a well-ventilated place. Keep cool.
7.3. Specific end use(s)	
No additional information available	

28/4/2020 (Version: 2)

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 8: Exposure controls/personal protection
8.1. Control parameters
No additional information available
8.2. Exposure controls
Appropriate engineering controls:
Ensure good ventilation of the work station.
Hand protection:
Protective gloves
Eye protection:
Safety glasses
Skin and body protection:
Wear suitable protective clothing
Respiratory protection:
In case of insufficient ventilation, wear suitable respiratory equipment

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties 9.1. Information on basic physical and chemical properties

9.1. mormation on basic physical and cher	nical properties
Physical state	: Liquid
Colour	: No data available
Odour	: No data available
Odour threshold	: No data available
рН	: 7 - 10
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 1 - 1.02
Solubility	: No data available
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available
9.2. Other information	

No additional information available

SECTION 10: Stability and reactivity
10.1. Reactivity
The product is non-reactive under normal conditions of use, storage and transport.
10.2. Chemical stability
Stable under normal conditions.
10.3. Possibility of hazardous reactions
No dangerous reactions known under normal conditions of use.
10.4. Conditions to avoid
None under recommended storage and handling conditions (see section 7).

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information	
11.1. Information on toxicological effects	
Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
dodecyl dipropylenetriamine	
LD50 oral rat	871 mg/kg
Skin corrosion/irritation	: Causes skin irritation.
	pH: 7 - 10
Serious eye damage/irritation	: Causes serious eye irritation.
	pH: 7 - 10
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

SECTION 12: Ecological information	
12.1. Toxicity	
Ecology - general	: Toxic to aquatic life with long lasting effects.
Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Toxic to aquatic life with long lasting effects.
dodecyl dipropylenetriamine	
LC50 fish 1	0.1 - 1 mg/l
EC50, daphnia	0.078 mg/l (48 Hours)
IC50, algae	0.015 mg/l (72 Hours)
12.2. Persistence and degradability	
No additional information available	
12.3. Bioaccumulative potential No additional information available	
12.4. Mobility in soil	
No additional information available	
12.5. Results of PBT and vPvB assessment	
No additional information available	
12.6. Other adverse effects	
No additional information available	

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information	
In accordance with ADR / RID / IMDG / IATA / ADN	

ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN number				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

14.2. UN proper shipping name				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information available				

14.6. Special precautions for user Overland transport

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

Inland waterway transport Not applicable

Rail transport

Not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Full text of H- and EUH-statements:		
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1	
Skin Corr. 1B	Skin corrosion/irritation, Category 1B	
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2	
H302	Harmful if swallowed.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H319	Causes serious eye irritation.	
H373	May cause damage to organs through prolonged or repeated exposure.	

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.