

2KW OIL FILLED RADIATOR MODEL NO: OFR9/200

PART NO: 6934005

OPERATION & MAINTENANCE



ORIGINAL INSTRUCTIONS

DL1123 - ISS 7

INTRODUCTION

Thank you for purchasing this CLARKE 2kW oil filled radiator.

Before attempting to use this product, please read this manual thoroughly and follow the instructions carefully. In doing so you will ensure the safety of yourself and that of others around you, and you can look forward to your purchase giving you long and satisfactory service.

ENVIRONMENTAL RECYCLING POLICY



Through purchase of this product, the customer is taking on the obligation to deal with the WEEE in accordance with the WEEE regulations in relation to the treatment, recycling & recovery and environmentally sound disposal of the WEEE. In effect, this means that this product must not be disposed of with general household waste. It

must be disposed of according to the laws governing Waste Electrical and Electronic Equipment (WEEE) at a recognised disposal facility.

GUARANTEE

This product is guaranteed against faulty manufacture for a period of 12 months from the date of purchase. Please keep your receipt which will be required as proof of purchase. This guarantee is invalid if the product is found to have been abused or tampered with in any way, or not used for the purpose for which it was intended. Faulty goods should be returned to their place of purchase, no product can be returned to us without prior permission.

This guarantee does not effect your statutory rights.

SAFETY ADVICE

Make sure that you read, understand and comply with the following.

The following symbols appear on the unit.



Parts & Service: 020 8988 7400 / E-mail: Parts@clarkeinternational.com or Service@clarkeinternational.com

GENERAL SAFETY

- 1. Read these instructions carefully before using the radiator.
- 2. **CAUTION**: Some parts of this product can become very hot and cause burns. Particular attention has be to given where children, vulnerable people and animals are present.
- 3. Before connecting the radiator, check that the voltage indicated on the rating plate corresponds to the mains voltage in your home/office.
- 4. **AVOID** the use of an extension cable because it may lead to overheating.
- 5. **DO NOT** use this heater with a programmer, timer, seperate remote control system or any other device that switches th eheater on automatically, since a fire risk exists if the heater is covered or positioned incorrectly.
- 6. Only touch the radiator with dry hands.
- 7. This radiator can be used by children aged 8 and above and persons with reduced physical, sensory and mental capabilities or lack of knowledge if they have been given instruction concerning the use of appliance in a safe way and understand the hazards.
- 8. Children should **NOT** be allowed to play with appliance. Children less than 3years should be kept away unless continuously supervised.
- 9. **DO NOT** position the radiator directly under a power socket.
- 10. **DO NOT** stand on, or drop the radiator and treat it carefully at all times. **DO NOT** use if dropped. **DO NOT** use if there is visible signs of damage.
- 11. **DO NOT** use this radiator outdoors.
- 12. This radiator is **NOT** intended for use in bathrooms, laundry areas and other similar indoor locations. **NEVER** locate radiator where it may fall into the bathtub or other water container.b**DO NOT** place in the immediate surroundings of a shower, bath or swimming pool.
- 13. Position the radiator in such a manner that the air flow toward the radiator and away from it is not obstructed.
- 14. The radiator must **NOT** be covered.
- 15. Allow a safe area around the radiator away from furniture or other objects; at least 1m from the top and sides and front.
- 16. **DO NOT** use this radiator when it is lying on its side.**ALWAYS** use on a horizontal and stable surface
- 17. If the radiator is tipped over, unplug it and allow it to cool before standing it back up.
- 18. **DO NOT** use this heater in small rooms when they are occupied by persons not capable of leaving the room on their own unless constant supervision is provided.

- 19. **DO NOT** use the radiator in rooms with explosive gas (e.g. petrol) or while using inflammable glue or solvent (e.g. when gluing or varnishing parquet floors, PVC etc)
- 20. Keep the mains cable at a safe distance from the main body of the radiator.
- 21. **DO NOT** hang anything in front of or above the radiator.
- 22. If overheating should occur, the built-in overheating safety device will switch off the radiator.
- 23. **DO NOT** use aerosols, flammable substances or materials sensitive to heat in the flow of hot air.
- 24. Should the radiator stops working, first check the fuse in the plug or fuse in the circuit breaker at the distribution board is operating, before contacting the manufacturer or its service agent or a similarly qualified person in order to avoid a hazard.
- 25. If the supply cable or plug is damaged, it must be replaced by the manufacturer.
- 26. Repairs that require opening of the radiator body (like oil leakage) should only to be made by the manufacturer or his service agent.
- 27. The radiator contains no user serviceable parts.
- 28. When scrapping the radiator at the end of its life, follow the regulations concerning the disposal of oil.

SPECIFICATION

Model Number	OFR9/200
Operating Voltage and Frequency	230 V @ 50 Hz
Input Power	2000 W
Number of segments	9
Class of Protection:	1
IP Rating:	IP20
Dimensions (L x W x H)	430 x 250 x 630 mm
Weight	11.2 Kg

THE FOLLOWING TABLE ADDRESSES THE INFORMATION REQUIREMENTS OF REG.2015/1188

Item	Symbol	Value	Unit
Heat output			
Measured seasonal space heating energy efficiency			n/a %
Nominal heat output	P _{nom}	2	kW
Minimum heat output (indicative)	P _{min}	0	kW
Maximum continuous heat output	P _{max}	2	kW
Auxiliary electricity consumption	1	I I	
At nominal heat output	el _{max}	n/a	kW
At minimum heat output	el _{min}	n/a	kW
In standby mode	el _{SB}	0	kW
Type of heat input for electric storage local heaters on	ly	<u> </u>	
Manual heat charge control with integrated thermostat			
Manual heat charge control with room and/or outdoor temperature feedback			
Electronic heat charge control with room and/or outdoor temperature feedback			
Fan assisted output			
Type of heat output/room temperature control (select	one)		
Single stage heat output, no temperature control			No
Two or more manual stages, no temperature control			No
With mechanical thermostat temp control			Yes
With electronic temperature control			No
Electronic temperature control with day timer			No
Electronic temperature control with week timer			No
Other control options (multiple selections possible)			
Room temperature control with presence detection			
Room temperature control with open window detection			
Room temperature control with distance control option			No
Room temperature control with adaptive start control			No
Room temperature control with working time limitation	ר		No
Room temperature control with black bulb sensor			No

Parts & Service: 020 8988 7400 / E-mail: Parts@clarkeinternational.com or Service@clarkeinternational.com

ELECTRICAL CONNECTIONS



WARNING! Read these electrical safety instructions thoroughly before connecting the product to the mains supply.


Before switching the product on, make sure that the voltage of your electricity supply is the same as that indicated on the rating plate. This product is designed to operate on 230VAC 50Hz. Connecting it to any other power source may cause damage.

This product may be fitted with a non-rewireable plug. If it is necessary to change the fuse in the plug, the fuse cover must be refitted. If the fuse cover becomes lost or damaged, the plug must not be used until a suitable replacement is obtained.

If the plug has to be changed because it is not suitable for your socket, or due to damage, it should be cut off and a replacement fitted, following the wiring instructions shown below. The old plug must be disposed of safely, as insertion into a mains socket could cause an electrical hazard.

If the colours of the wires in the power cable of this product do not correspond with the markings on the terminals of your plug, proceed as follows.

- The wire which is coloured **Blue** must be connected to the terminal which is marked **N** or coloured **Black**.
- The wire which is coloured **Brown** must be connected to the terminal which is marked **L** or coloured **Red**.
- The wire which is coloured Yellow and Green must be connected to the terminal which is marked E or ↓ or coloured Green.




BEFORE USE

CONNECTING THE FEET

1. Turn the oil filled radiator upside down and insert the securing loop as shown.

- Hook the securing loop to the wheel plate and feed the threaded end of the securing loop through the second hole as shown.
- 3. Fix the wheel plate in position using the wing nut supplied.

4. Turn the oil filled radiator the right way up and fit the wheels as shown securing them using the nuts supplied.




OPERATION



CAUTION: **DO NOT** OPERATE THE RADIATOR UNLESS IT IS PLACED IN AN UPRIGHT POSITION.

- Select an indoor location for the radiator away from electrical cables, drapes and other furnishings.
- DO NOT place radiator directly beneath an electrical outlet or against paper board or low density fibreboard.
- 1. Turn the thermostat to "0" before plugging in the radiator.
- 2. Plug the radiator into the mains supply.
- 3. Slide the switch on the timer to "I".
 - if you are going to use the timer to control the radiator skip this step.
- 4. Use the power switches to turn the radiator on.

SWITCH	SETTING
Left	Minimum
Right	Medium
Both	Maximum




NOTE: The first time the radiator is

used there may be an odour that will disappear after approximately 30 minutes of operation. The odour is due to a lubricant used during the manufacture of the radiator.

SETTING THE TEMPERATURE

The operating temperature is selected by adjustment of the thermostat.


 The hottest setting will be when the thermostat is to "6" and the power switches are set to maximum, the coolest, when it is set to "0".



TIMER FUNCTION

SETTING THE CURRENT TIME

 Turn the dial clockwise to align your current time to the triangular pointer.



SETTING THE TIMER

- 1. The circumference of the dial is composed of 96 segments. Each segment represents 15 minutes.
- 2. The timer is turned ON for 15 minutes by each activated segment
 - Activated segment (pulled outwards).
 - Non-activated segment (pushed inwards).



Example: To use the timer to turn the radiator on between 04:00 and 05:00.

- 1. Set current time.
- 2. Turn the slide switch to timer symbol \bigcirc .
- 3. Pull the 4 segments between 4 and 5 outwards.

SAFETY OVERHEAT SHUT OFF

Your oil filled radiator is fitted with two safety devices.

The first is an anti-tilt switch which turns off the oil filled radiator if it falls over; simply stand the radiator up again to reset this switch.

The second is a safety overheat device which switches off the oil filled radiator in the event of overheating caused by any fault condition which induces a rapid temperature rise.

In the event of the safety overheat device operating, the oil filled radiator will cease to function until the teperature falls below the cut off point. If this happen again have your oil filled radiator serviced by an approved service agent.

The safety device supplied must never be replaced by anyone other than an approved service agent.

MAINTENANCE

CLEANING

The oil filled radiator requires regular cleaning to ensure trouble free operation:

- 1. Do not stand on or drop the heater and treat it carefully at all times.
- 2. Always turn off and unplug the oil filled radiator from the mains supply and alow it to cool before cleaning.
- 3. Use a damp cloth to wipe the exterior of the oil filled radiator to remove dust and dirt.
- 4. Ensure the oil filled radiator is dry before plugging back into the mains supply.
- 5. Do not allow water to run into the interior of the oil filled radiator as this could create a fire or electric shock hazard.

STORAGE

If the oil filled radiator is not going to be used for long periods, for example during the summer, it should be stored in a dry place and preferably covered to prevent the accumulation of dust and dirt.

Unplug the oil filled radiator and store the mains lead in the storage recess provided. Ensure that the plug does not trail on the floor where it could be damaged.

DECLARATION OF CONFORMITY

OFR9-200 UKCA Clarke DOC 060722	Signed:	Product Description: Model number(s): Serial / batch Number: Date of Issue:	The following standards EN 55014-1:2017, I EN 61000-3-3:2013 EN 61000-3-2:2013 IEC 62321-4:2013 IEC 62321-7-2:201 attromentioned legislatio attrometies.	We hereby declare that t Electromagnetic Cc Electrical Equipmer The Restriction of L Regulations 2012 The Ecc-design for	CC
060722	J.A. Clarke Director	The UKCA mark was first applied in: 2022 Oil Filled Electric Radiators OFR7/150, OFR9/90, OFR9/200, OFR13/250 N/A 07/06/2022.	Ine following standards have been applied to the product(s): EN 55014-1:2017, EN 55014-2:2015, EN 61000-3-2:2014, EN IEC 61000-3-2:2019 EN 61000-3-3:2013+A1:2019, EN 60335-1:2012+A11:2014+A13:2017+A1:2019+A EN 60335-2-30:2009+A11:2012, EN 62335-1:2013, IEC 62321-3:1:2013, IEC 62321-1:2013, IEC 62321-4:2013+AMD1:2017CSV, IEC 62321-5:2013, IEC 62321-7:1:2015, IEC 62321-4:2013+AMD1:2017CSV, IEC 62321-5:2013, IEC 62321-7:1:2015, IEC 62321-7:2:2017, IEC 62321-5:2017, IEC 62321-7:1:2017, IEC 62321-7:2:2017, IEC 62321-4:2:008+A11:2019. The technical documentation required to demonstrate that the product(s) meet(s) the r atorementioned legislation has been compiled and is available for inspection by the n authorities.	reby declare that this product(s) complies with the Electromagnetic Compatibility Regulations 2016 Electrical Equipment (Safety) Regulations 2016 The Restriction of Use of Certain Hazardous Substanc Regulations 2012 The Eco-design for Energy Related Products and Ener	B S S S S S S S S S S S S S
Page 1 of 1	lind	The UKCA mark was first applied in: 2022 Oil Filled Electric Radiators OFR7/150, OFR9/90, OFR9/200, OFR13/250, BR9/200, BR13/250 N/A 07/06/2022.	The following standards have been applied to the product(e): EN 55014-1:2017, EN 55014-2:2015, EN 61000-3-2:2014, EN IEC 61000-3-2:2019. EN 61000-3-2:2019, EN 60335-1:2012+A11:2014+A13:2017+A1:2019+A14:2019+A2:2019, EN 60335-2:30:2009+A11:2012, EN 62335-1:2013, IEC 62321-3-1:2013, IEC 62321-4:2019+A14:2019+A2:2019, IEC 62321-4:2013+AMD1:2017CSV, IEC 62321-5:2013, IEC 62321-7-1:2015, IEC 62321-7:2:2017, IEC 62321-8:2017, ISO 17075:2017, IEC 62301:2011, EN 50564:2011, EN 60675:1995+A1:1998+A2:2008+A11:2019. The technical documentation required to demonstrate that the product(s) meet(s) the requirement(s) of the aforementioned legislation has been compiled and is available for inspection by the relevant enforcement authorities.	We hereby declare that this product(s) complies with the following statuary requirement(s): Electromagnetic Compatibility Regulations 2016 Electrical Equipment (Safety) Regulations 2016 The Restriction of Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012 The Eco-design for Energy Related Products and Energy Information (Amendment) Regulations 2019	Sex CM16 4LG CONFORMITY and should be retained.
	Signed:	Product Description: Model number(s): Serial / batch Number: Date of Issue:	The following standards have EN 55014-1:2017, EN 550 EN 61000-3:2013+A1:20 EN 60335-2:30:2009+A11 EN 60335-2:30:2009+A11 IEC 623214-2013+AMD1 IEC 62321-7-2:2017, IEC EN 50564:2011, EN 6067. The technical documentation re aforementioned directive(s) has authorities.	We hereby declare that 2014/30/EC El 2014/35/EC Lo 2011/65/EC Re 2009/125/EC Ec	C C
CCC032	J.A. Clarke Director	The CE mark was first applied in: 2007 Oil Filled Electric Radiators OFR7/150, OFR9/90, OFR9/200, OFR13/250, BR9/200, BR13/250 N/A 07/06/2022.		We hereby declare that this product(s) complies with the following directive(s): 2014/30/EC Electromagnetic Compatibility Directive 2014/35/EC Low Voltage Directive 2011/65/EC Restriction of Hazardous Substances 2009/125/EC Eco-Design Directive Annex I (EU 2015/1188)	Fizwilliam Hall, Fizwilliam Place, Dublin 2
		, BRS	00-3-2:20 +A1:2019 IEC 623 (:2015, :011, :011, eet(s) the on by the	tive(s):	≥ retaii

Parts & Service: 020 8988 7400 / E-mail: Parts@clarkeinternational.com or Service@clarkeinternational.com



0208 988 7400

Parts Enquiries Parts@clarkeinternational.com

Servicing & Technical Enquiries Service@clarkeinternational.com

SALES: UK 01992 565333 or Export 00 44 (0)1992 565335