

KÄRCHER

**KÄRCHER CENTER
TRAFALGAR**

PRODUCT SPECIFICATION/INFORMATION

Product Data Sheet

HDS 5/11 U / UX

Portable upright hot water pressure cleaner.

The HDS 5/11 U / UX is designed to be as easy to use and transport as a Kärcher cold water pressure cleaner, but with the added cleaning performance that comes from using water heated to 80°C. With simple OFF-COLD-HOT operation, small footprint and typical Kärcher design and build quality, the 5/11 U / UX is the perfect machine for light-medium duty cleaning tasks where time is of the essence. Just plug in, switch on and let the 80°C hot water shift the dirt.



Features and Benefits:

- Effortless portability due to large robust wheels, integrated tilting aid and hand holds on the side of the machine
- Convenient ergonomics with optimally positioned handle, fuel tank designed for easy filling and hose reel (UX only)
- High performance, but low costs due to super-efficient Kärcher burner nozzle with maximum water temperature of 80 degree
- Simplicity and functionality with OFF/ COLD/HOT control, safety lock and optical fuel indicator
- Upright design for small footprint and easy storage, integrated hose reel (UX only) and practical cable hook
- Professional quality with durable, proven pump set with cylinder head



Range Comparison

Kärcher HDS Compact Class Hot Water High-Pressure Cleaners



Accessories

Standard accessories



HP hose, 10m (U)
6.391-238.0 (U)



HP hose, 15m (UX)
4.775-529.0 (UX)



Extended Easy Press
trigger gun
4.775-529.0



Spray lance
550 mm
4.760-665.0



Triple nozzle
4.767-146.0

Optional accessories



FR Basic
inc. nozzles
2.642-998.0



10m HP extension hose
(not for the UX model)
6.391-342.0



Coupling
for extension hose
4.403-002.0



Push-on
washing brush
4.762-497.0

Technical Specification

	HDS 5/11 U	HDS 5/11 UX
Power supply (Ph/V/Hz)	1/240/50	1/240/50
Water flow rate (l/h)	450	450
Operating Pressure (bar/MPa)	110/11	110/11
Max. temperature (°C)	80	80
Connected load (kW)	2.2	2.2
Consumption, fuel oil (kg/h)	2.4	2.4
Fuel tank (l)	6.5	6.5
Detergent tank / Detergent suction hose	No / Yes	No / Yes
Weight (kg)	70	72
Dimensions (L x W X H) (mm)	618 x 618 x 994	618 x 618 x 1163
Part number	1.064-032.0	1.064-033.0

Tel: + 44 (0)1403 273 444

Unit C, Foundry Close
Horsham, West Sussex.
RH13 5TX.
United Kingdom

Unit C
Foundry Close
Horsham
West Sussex
RH13 5TX
United Kingdom

T. 01403 273444

E. sales@tce.org.uk

W. trafalgarequipment.co.uk

KÄRCHER

KÄRCHER CENTER
TRAFALGAR